

# **Prediction III**

**Synastry  
The Ascendant - Lunar  
The Prenatal Epoch  
Fixed Stars**

**Alexander Marr**

## TABLE OF CONTENTS

INTRODUCTION .....	v
1. <u>SYNASTRY</u> .....	1
2. RADIX COMPARISONS .....	5
3. <u>THE NEW PARTNER-HOROSCOPE</u> .....	9
4. THE WRITER'S PARTNERSHIP AND COLLABORATION WITH THREE EMINENT ASTROLOGERS .....	13
5. NEGATIVE PARTNER-HOROSCOPES WITH NEGATIVE TENDENCIES .....	17
6. THE PARTNER-HOROSCOPE OF JIMMY CARTER AND RONALD REAGAN .....	26
7. THE AUXILIARY PARTNER-HOROSCOPE .....	29
8. THE RELATIONSHIP CHART .....	30
9. <u>THE ASCENDANT-LUNAR HOROSCOPE</u> .....	31
10. A NEW RELIABLE METHOD TO TRACE THE CONCEPTION-HOROSCOPE .....	41
11. <u>THE DUAL-TEST</u> .....	51
12. THE DUAL-TEST RECTIFICATION .....	52
13. <u>SUPPLEMENT</u> .....	65
13a. RELATIONSHIP OF THE MOON AND ASCENDANT IN THE RADIX AND THE CONCEPTION MAPS .....	68
14. <u>AN INTRODUCTION INTO THE WORKINGS OF FIXED STARS</u> .....	69
15. MUNDANE CONJUNCTIONS OF FIXED STARS IN RADICES OF INDIVIDUALS .....	71
16. THE EFFECTIVENESS OF FIXED STARS DEMONSTRATED ON 20 RECTIFIED RADICES .....	72
17. EFFECTIVE FIXED STARS DEMONSTRATED ON RADICES OF V.I.P.'s .....	73
18. FIXED STARS IN MUNDANE ASTROLOGY .....	84
19. PLANETS AND HOUSES DIRECTED TO RADICAL FIXED STARS .....	88
20. <u>HOW EXACT MUST WE BE ?</u> .....	89
21. <u>FICTIONS IN ASTROLOGY</u> .....	92
22. <u>CONCLUDING REMARKS</u> .....	94
23. <u>APPENDICES</u> .....	97
24. EDWARD KENNEDY - EVENTS AND PRIMARY DIRECTIONS .....	99
25. JUAN G. PERON - EVENTS AND PRIMARY DIRECTIONS .....	101
26. COMPUTATION OF FIXED STARS .....	103
TABLE A : 50 MAIN FIXED STARS IN LONGITUDE .....	109
TABLE B : PROMINENT FIXED STARS IN RA AND DECLINATION.....	113
TABLE C : RAMC, RISING AND SETTING OF FIXED STARS.....	115
TABLE D : TABLE FOR PRECESSION .....	118
TABLE E : DAY-NUMBERS FOR PRENATAL FACTORS .....	119
GLOSSARY .....	134
INDEX .....	135
THE WRITER'S MAIN PUBLICATIONS .....	137

1ra,edicion argentina - Ediciones SIRIO - Buenos Aires

LIBRO DE EDICION ARGENTINA

**C** Copyright 1986 **ISBN** 950-9183-05-9

No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying or recording, or by any information storage and retrieval system, without written permission from the author and publisher.

Requests and inquiries may be mailed to the publisher:

**Ediciones SIRIO**  
Pedro I, Rivera 3916 4º E  
1430 - BUENOS AIRES  
ARGENTINA

Printed in Argentine - Impreso en Argentina

## INTRODUCTION

While **Prediction I** and **II** described new developments and the practical use of the basic findings made by *Cyril Fagan, A.P. Nelson Page* and *Vendel Polich*, **Prediction III** is based solely on my own research in the Transit and Prenatal Transit System which was discussed in *Prediction I*.

A great help in this respect had been the large number of rectified Radices, sixteen of which had been used for the most efficient Primary Directional method (the Topocentric System) and the workings of fixed stars demonstrated in this book. Some of my aims in astrology are, and have always been, to develop astrological techniques which secure both

- a) a scientifically correct birth time, and
- b) a comprehensive way to practise prediction.

The main problem for most astrologers is still the authentication of the true birth time, not only as to the trustworthiness of a time of birth, but also by means of astrological systems that allow certainty against chance to be controlled with a high probability factor of success.

It has been found in practice that in cases where several birth times are in question for the same nativity, radical delineations of these different horoscopes are not adequate to select the true birth time.

(See John Lennon, *Prediction II*)

Whilst the most appropriate rectification method so far, giving scientifically acceptable results within one minute of arc, has been demonstrated with Primary Directions (*Prediction II*), there are a number of other astrological systems which permit the verification of a birth time in a most simple way. (Secondary Progressions and Regressions derived from Sidereal Solar Returns in *Prediction I*; the Ascendant-Lunar Chart demonstrated in this book).

Besides this, the two last-mentioned rectification methods, if used alone, secure a well-authenticated, approximate birth time with enough accuracy to guarantee a satisfactory handling of analyses and predictions in all the recommended methods of *Prediction I*.

All these astrological systems are closing the ring for the mutual confirmation of a scientifically correct birth time. The aim of every astrologer should be a perfectly authenticated birth time for his own nativity as demonstrated in the Radices of Edward Kennedy and Juan Peron, and a well-authenticated Conception-Horoscope (Prenatal Epoch).

## Synastry

It has always been a very difficult task to find an answer to the main questions in Synastry: What the relationship between two or more people will be like, whether their psychological and emotional characteristics fit together, and if their relationship will be durable or not.

The most primitive form of chart comparisons is the judgement of Sun-Sign compatibility. Users of this method maintain that, for instance, a man with Sun in Aries could not have a harmonious and long-lasting relationship with a woman who has the Sun in Cancer or Capricorn as the Sun of the man squares the woman's Sun.

Instead, this method mainly recommends partnership between Sun-Signs which are either in opposition or harmonious aspect to each other. Therefore a person with Sun in Aries is said to fit best with other persons who have the Sun in the following Signs: Gemini, Aquarius (sextile); Leo, Sagittarius (trine) and Libra (opposition).

This example could be applied in the same way for all the twelve Signs of the Zodiac. However, this way of classifying partnership not only turns out to be insignificant but is also refuted by the statistical analysis of about 250 cases which revealed that there are more long-lasting partnerships and friendships where the Suns of the two individuals are in square to each other than one would ever expect.

It is easy to understand that Sun-Sign comparisons have to be rejected for many other reasons, too.

Before going into details it is always essential to analyze the horoscopes of partners separately. There are people who are more or less predestinated for partnership while others are not. In extreme cases there are horoscopes that have no tendencies for a long-lasting relationship at all.

People of this kind have no friends, and they may also remain single for their whole life and not have much contact with the opposite sex.

Horoscopes with characteristic Capricorn-tendencies, especially with a Saturn affliction to Venus (for males) or to Mars (for females) have very little receptivity for the opposite sex, whether because of extreme shyness or because they are not capable of true love. Sometimes, also, the circumstances in their early life play an important role.

The best way for gaining experience in astrological techniques is the analysis of the astrologer's own Chart, as he should be well informed of the circumstances of the events analysed, and consequently will be able, with growing experience, to build up a good judgement of planetary symbolism. On the other hand with this he is also getting experience in how to interpret Radix Horoscopes, a branch of astrology which unfortunately is often handled with little care, although, there is no doubt, it needs years of experience before true results can be achieved.

In order to help young astrologers in choosing the right astrological tools without spending a lifetime with fictional astrological methods, and also to save the precious time of the more talented students who have a good proportional feeling - time which they have to spend before they find a successful way to learn and practise astrology - I have made a review of the most popular, more or less fictional astrological methods. In most cases these have little or no astronomical background, but a superfluous number of factors which cannot be controlled.

(See '*Fictions in Astrology*' below).

I wish to thank **Marguerite and Dymock Brose** (Blackheath, Australia) who made the publication of this book possible through their kind assistance.

Planets on the MC, usually the dominating Cusp in a horoscope, and therefore in a mundane square to the Ascendant, may increase impulses of ambition and sometimes the trend to extreme power if simultaneously squared by other planets.

ADOLF HITLER's Horoscope (*Prediction II*, No. 13) is a characteristic example of this. Saturn in the 10th House is here squared by Venus conjunct Mars. Hitler's relationship to other people and also to the opposite sex was decisively crippled by these aspects. So far, a few examples have been given to demonstrate that, prior to the analysis of partnership, the characteristics of the Radix have to be carefully considered.

In cases where the horoscope has a dominant Moon, men, especially, may be prevented from making or strengthening contacts with the opposite sex because of their psychological and emotional dependence on their mothers. With females, bad experiences, especially in sexual contacts (in extreme cases, rape), or disappointments concerning true love and affection are matters that considerably reduce the readiness for contacts. Needless to say, horoscopes of such complicated people need much care before an actual partnership analysis can start.

### RADIX CHARACTERISTICS Pro and Contra Partnership with the opposite sex:

SUN and MOON in conjunctions, oppositions, trines and sextiles support the capability for partnership, if they are not seriously afflicted by (mainly) Saturn and Uranus in squares, or semisquares and sesquiquadrates. The affliction may always be regarded as powerful if the aspecting planet (Mars, Saturn, Neptune, Pluto) has a dominant position in the birth chart. This applies for all cases where favourable planetary combinations are afflicted by dominant malefics. Planets which are either in conjunction with or in square to an Angle, or high in the sky (in the 9th or 10th House), elevated over the other planets concerned, have to be regarded as dominant.

The best Sun/Moon combination for partnership in a birth chart is the opposition, preferably on Angles. Conjunctions are very helpful too, especially if on the Ascendant or the Descendant.

As we all know, the Ascendant plays the main role in the horoscope of an individual concerning his character, emotions and reactions. Therefore close aspects to the Ascendant, and consequently also to the Descendant, are of main importance when considering the readiness for partnership. Aspects of tension to the Ascendant - Descendant axis of (mainly) Mars, Uranus and Pluto, produce instability in the character and emotions of the native in all those cases where no harmonious planets (Venus, Jupiter) dominate over the Ascendant.

On the other hand Mars Uranus and Pluto in conjunctions, oppositions or soft aspects (trine, sextile) to the Ascendant, particularly if supported by Venus and (or) Jupiter, merely give the native some characteristics of the planet involved. Needless to say, Venus and Jupiter on the Ascendant or Descendant (as well as Sun and Moon mentioned above), if not afflicted by dominating malefics increase the readiness for all kinds of relationship to other persons.



## RADIIH COMPARISONS

Experience shows that in most cases where partnership is concerned, it is not the position of both Suns, but any other mutual aspect of radical factors that is much more significant.


First, we will deal with the companionship of men and women.

The most significant aspect for analyzing relationships is the conjunction, as in all branches of astrology. The efficacy of conjunctions may be classified in the following order :

1. Conjunctions of planets with the Angles of the partner.  
Usually the orbs of effective conjunctions are extremely small. This of course can only be observed in horoscopes with well-authenticated birth times. As can be seen from examples given in Prediction II (British Monarchs) all these conjunctions and, of course, also any other mutual aspects have to be measured on the Ecliptic.  
Mundane aspects such as rising and setting are not valid, possibly because different coordinates of the birth places do not fit together.
2. Mutual conjunctions of Sun and Moon are the best preconditions for any partnership if the conjunction is not heavily afflicted or contradicted by other aspects.
3. Good prospects are further given by the following Ecliptical interchanges :
  - (a) SUN - VENUS - JUPITER
  - (b) MOON " "
  - (c) MERCURY " "
  - (d) MARS " "
  - (e) PLUTO " "

While a, b and c are welcomed in any relationship, d and e play the dominating role in sexual relations.

JUAN D. PERON




RADIX RECTIFIED

October 8, 1895 12h 04m 22s U.T.

59 W 05.4 ; 35 S 11

EVITA PERON



RADIX RECTIFIED

May 7, 1919 08h 56m 51s U.T.

59 W 05 ; 35 S 11

While Uranus sextile Cusp II helped him in his political career (support<sup>in</sup> politics, propaganda and social welfare by his wife, Evita, and, of course, by friends and some superiors), Neptune afflicting Uranus (quincunx) may have caused his occasional set-backs, (Revolution in 1955: he had to leave the country). Pluto square Node in VII is a general Significator for death. This becomes very obvious when 'death' is analyzed with Prenatal Transits and Cycles. Besides this, Pluto plays a main role in cancer and in other diseases. Retrospectively, we may assume that this signifies the death of two of his wives by illness (both cancer) during his lifetime.

#### RADIX ANALYSIS. EVITA PERON. In relation to Partnership. (CHART B)

The Descendant has a trine from Venus; but Moon conjunct Saturn could not possibly have activated partnership. Venus on Cusp 3 (3rd House = domestic politics and propaganda) sextile Mercury, characterizes her active participation in social and political affairs. Venus sextile Moon = popularity (she brought Argentine women into public life).

Her early death is symbolized by the square of Sun conjunct Mars to Moon conjunct Saturn. Afflictions of this kind from Angular Houses, in an overwhelming number of cases, affect health and reduce the bodily resistance against illnesses. Here energy and vitality (Sun conjunct Mars) struggle (square = tension) against lack of resistance (Moon conjunct Saturn) \*

\* Traditional belief that malefics in detriment (here Mars and Saturn) 'are disastrous throughout' is not logical, as all individuals born during a considerably long period of time should suffer extremely from it. But the Moon which has a fast apparent movement is always an individual factor according to sign position and planetary aspects. It is very likely that the Moon in close conjunction with Saturn (1 degree = 2 hours) has considerably activated this weighty square of two malefics, both in detriment. Neither Jupiter nor the heavily afflicted Moon could have helped

Oppositions, although of lesser strength, have about the same character, at least where the demonstrated combinations of the compatible planets are involved. (1, 2, 3 (a) - (e) )

Trines and sextiles of any mutual planetary aspects, whether compatible or incompatible, play a subordinate role in cases where partnership is concerned. These should be neglected unless they are very close (under one degree) and represent dominant radical positions of the factors involved.

In this connection the writer has to mention that textbooks which give hundreds of recipes for all possible mutual planetary interchanges in Radix comparison from conjunctions down to minor aspects are not reliable, because :

a) They are not the result of analyses. Hundreds of delineations need thousands of cases, and how can young authors have had such experience ?

b) Recipes would not work in practice, simply because similar planetary aspects such as, for instance, Sun partner A in square to Mars of partner B, may give different results in different relationships. Such an aspect of tension may produce positive characteristics in one partnership and negative ones in another. The delineation of Partner-Horoscopes gives true characteristics and permits a fairly good forecast only if the essential factors in partner comparison are used.

EXAMPLE : JUAN DOMINGO PERON, Former President of Argentina,  
1946 - 55 and 1973 - 74                      CHART A

EVITA PERON, his wife                                      CHART B

#### RADIX ANALYSIS in relation to partnership Juan D. PERON

The Descendant is in Gemini, a dual sign; this means by tradition that there may be more than one marriage during the lifetime. (Peron was married three times).

Moon within 6' of arc on the Descendant, not afflicted and sextile to Jupiter, is a good precondition for a harmonious married life.

Venus on Cusp 11, sextile Uranus (orb 6') opposite Cusp 5 : generally a good sex life, but the possibility of deceiving or being deceived. (Venus square Neptune from VII).

## THE NEW PARTNER - HOROSCOPE ♦

This method has been tested by the writer with more than 200 examples. It may be regarded as an adequate complement to the traditional comparison of two Radix horoscopes as demonstrated above. As distinct from the usual Radix - Radix Interpretation, where the mutual aspects have to be analyzed, the Partner-Horoscope not only allows an evaluation of mutual aspects but also has to be regarded as an independent self-contained Horoscope. Charts of this kind permit the astrologer to evaluate the output of the partnership.

The Partner-Horoscope is the product of both participants and it always has a lot to show as regards good or poor chances for the future. The analysis of this Horoscope must be performed in a most simple way, examining only the most characteristic indications such as :

- a) The position of the Luminaries and planets in the Quadrants, whether above or below the Horizon, whether on the East- or West side of the Horoscope.
- b) The Angularity of the Luminaries and planets.
- c) The usual analysis of mutual aspects, where, of course, the individual aspects with MC, ASC, SUN and MOON should have priority. The idea of this Chart, which the writer is going to explain, had its origin in the consideration, that the horoscope of the younger partner has to be seen as a transit map with regard to the map of the elder one, i. e. the Partner - Horoscope is a prenatal transit chart which is based on the elder partner as a Radix with birth data of the younger as a transit.

To compute this horoscope we have only to apply the rules and computations demonstrated in ' Prediction using Common and Prenatal Cycles', pages 2, 9, 10 with Prenatal Transits. Here the computation is identical with the computation of Prenatal Transits, according to the astronomical characteristics of a Partner - Horoscope.

\* First published by the author in 1980

## RADIX COMPARISON

J. D. PERON

- a) ASC 6° Sag 48' ; MOON 6° GEM 54'
- b) JUPITER 5° Leo 37'
- c) PARS FORTUNA 28° Can 45'
- d) MC 16° Leo 25'

EVITA PERON


- NODE 5° Sag 01'
- NODE 5° Sag 01'
- PARS F. 29° Can 01'
- SUN 15° Tau 45'
- MARS 16° Tau 19'

e) The SUN - Sign, LIBRA is the Sign on the 7th Cusp of Evita's Radix

- a) positive contact (Node) and affection (Moon)
- b) positively strengthening (a)
- d) This should have produced some tension
- e) A common occurrence in marriage

PLUTO (18° Tau 04') in aspect to planets of both partners gives us some problems. In the 12th House, but not rising; It is squared by VENUS. The symbolism points to a strong sexual relation. Besides this, traditional interpretation would certainly emphasize the strong relationship of both Venus and Pluto to the ASC and DESC as the Ruler of these. JUPITER opp. SATURN in a weak part of the Horoscope (between II and III; VIII and IX) squared by the MOON (weak too as between XI and XII) may have had some negative consequences of which the writer does not know.

As explained before only close aspects; not exceeding two degrees in conjunctions and oppositions, and one degree for other major aspects, (square, trine and sextile) are valid. The latter may be neglected or evaluated only if appearing with small orbs.



Partner - Horoscope Jan and Emil & Person  
 Mainz 11. 1875 : 12h 11m 23s N. T.

		Day No **
Radix EVITA PERON (a) 1919, May 7	08h 56m 51s U.T.	43590
Radix JUAN PERON (b) 1865, Oct 8	<u>12h 04m 22s U.T.</u>	<u>34979</u>
(c) Difference, subtract from (b)	<u>20h 52m 29s</u>	<u>8610</u>
(d) 1872, March 11	15h 11m 53s	26368

### DATE and TIME of the PARTNER - HOROSCOPE

Don't forget that we borrowed a day to subtract the time in (b) from the time in (a), and a day when subtracting the difference (c) from (b) to get the final figure (d) for our Partner-Horoscope.

### INTERPRETATION OF THE PARTNER-HOROSCOPE CHART C

#### A) MUTUAL ASPECTS

<u>Partner-Horoscope</u>	<u>Juan PERON</u>	<u>Eylta Peron</u>
ASC 27° Tau 10'	NODE 11° Pis 00'	JUPITER 11° Can 55'
URANUS 27° Can 20'	PARS F. 28° Can 45'	MC 27° Cap 13'
PARS F. 24° Gem 12'	PARS F. 28° Can 45'	PARS F. 29° Can 01'
VENUS 18° Aqr 57'	URANUS 18° Sco 08'	VENUS 23° Gem 43'
MOON 18° Ari 25'	VENUS 18° Vir 02'	
PLUTO 18° Tau 04'	URANUS 18° Sco 08'	
MARS 7° Ari 23'	MOON 6° Gem 54'	NEPTUNE 6° Leo 38'
	DESC 6° Gem 48'	
NEPTUNE 22° Ari 34'		ASC 24° Ari 21'

The mutual aspects of the Partner-Horoscope to both radices show a positive relationship mainly with conjunctions and oppositions.

### DELINEATION OF THE PARTNER-HOROSCOPE

- Most planets above the Horizon and in the two first Quadrants\*\* promising positive activity of both partners.
- SUN(X) and VENUS(X) on either side of the MC picture healthy and active collaboration.

\* See TABLE E in Appendix

\*\* For mathematical and astronomical reasons I have changed the traditional order of the Quadrants in all my publications. (OA's in Quadrant I and II; OD's in Quadrant III and IV)  
 First Q. = MC - XII; Second Q. = ASC - III; Third Q. = IC - VI; Fourth Q. = DESC - IX



**THE WRITERS PARTNERSHIP AND COLLABORATION  
WITH THREE EMINENT ASTROLOGERS**

Radix ALEXANDER MARR : April 12, 1919; 12h 11m 14s U.T. ;Zuerich

1. With VENDEL POLICH : April 26, 1892 ; 1h 48m 10s U.T. ←  
Partner-Horoscope : May 11, 1865; 15h 25m 01s U.T.  
Buenos Aires ; Chart D  
MC 14°Tau 39' ; VENUS 15°Tau 14' ; SUN 20°Tau 54' ; MERCURY 8°Tau 36'

2. With A.P. NELSON PAGE (see Prediction Using Common and Prenatal Cycles, Chart 2)  
Partner-Horoscope : Jan. 10, 1919 ; 10h 45m 37s U.T. London; Chart E  
MC 0° Cap ; JUPITER 9° Can 40' ; SUN 19° Cap 09' ; MERCURY 26°Sag 06'  
MOON(Page) 2° Cap 47'

→ For Zuerich, the writers birth place (not reproduced)

MC 8° Cap 08 ;	ASC 28° Ari 24'
JUPITER(Marr) 8° Can 19' ;	MARS(Marr) 27° Ari 59'


3. With CYRIL FAGAN (Prediction Using.... Chart 3)  
Partner Horoscope : July 3, 1873 ; 12h 44m 35s U.T. Dublin ; Chart F  
SUN on MC in a strong position with MOON on ASC indicates a good relationship.

EXAMPLE of a close partnership for over 20 years of two astrologers working together on the same subject.

VENDEL POLICH / A.P. NELSON PAGE (Radices as above)  
Partner-Horoscope : June 26, 1865 ; 16h 07m 56s U.T. Buenos Aires;  
→ Chart G

MC conjunct SUN ; Mercury and URANUS opposite JUPITER (a typical combination for a successful scientific collaboration)

MC(Polich) 21° Sag 44' ; JUPITER (Partner-H.) 22° Sag 42'  
ASC(Page) 29° Gem 24' ; MERCURY(Partner-H.) 28° Gem 41'  
URANUS (Partner-H.) 29° Gem 58'



~~PARTNER - HOROSCOPE JULIAN and LEVY PAPERON~~  
 March 11, 1872; 18h 11m 53s W.T.

11/2/18



1. The four partnerships of astrologers show that the Partner-Horoscope on its own (without the analysis of mutual aspects) already gives undeniable indications of the quality and characteristics of the relationship.
  - (a) The SUN in all four demonstrated charts is near the MIDHEAVEN. With (b) this indicates activity and success.
  - (b) QUALITY is shown by favourable planets on the Angles, preferably on the MC.
  - (c) The CHARACTERISTICS are disclosed by appropriate planets for 'scientific collaboration': SUN, MERCURY, JUPITER, URANUS.
  
2. The mutual aspects of the two Radices and Radix comparisons with the Partner-Horoscope are also mainly favourable planetary combinations.
  
3. To have a clear Impression when analyzing and judging a relationship it is recommended that mainly conjunctions and oppositions (Angular and Interplanetary aspects) are used.
  
4. The Partner-Horoscope should be computed for the place where both partners first met. Naturally the same applies for people who met only once, such as in road accidents, assassinations, etc. In cases where people never met, the birth place of the elder (first choice) and the younger partner have to be considered. Birth place coordinates also show some effect in cases where the partners have met in places other than their birth place.
  
5. Exactness of the kind demonstrated above is only guaranteed if rectified Radices are used.

# NEGATIVE PARTNER - HOROSCOPES WITH NEGATIVE TENDENCIES

## THE CHARLES MANSON GANG


On the night of August 9, 1969, STEVE PARENT was just leaving the gate-keeper's cottage on film director ROMAN POLANSKI's Hollywood estate, when SUSAN ATKINS shot him through the head. After the shooting Susan Atkins, along with LESLIE VAN HOUTEN and two other girls entered the main house of the estate and systematically tortured and murdered five members of the Hollywood 'jet set'. Actress SHARON TATE, 8 months pregnant, pleaded for the life of her child as Susan Atkins plunged a kitchen knife into her stomach.

CHARLES MANSON was born on November 12, 1934; 21h 40m UT  
84° W 30', 39° N 05' Chart H

It must be admitted that this Horoscope reflects his extraordinary charismatic personality and popularity among women. The latter were slavishly dependent upon him, and were fully obedient to his every command. The chart shows Manson's strong bodily (SUN VENUS) and mental (MERCURY JUPITER) influence on individuals. The destructive character of these abnormal relations is reflected by the square of URANUS to PLUTO. MOON in the 10th House elevated over all the other planets is in close conjunction with the MEAN MOON.


This is a very individualistic combination because of the quick movement of the MOON and the MC. Its importance is magnified by the Moon's Angularity and its mundane relation to URANUS and PLUTO. This indicates great popularity and one who may endure 'fatality with others'. The mental disorder which obviously has overtaken him in spite of his ability to lead or mislead others should be noted from the exact MARS - NEPTUNE conjunction in sesquialtera to URANUS. This conjunction is responsible for Manson's mental disposition toward death, particularly as URANUS is on the Ascendant.

Manson's indisputable popularity among women is expressed in the conjunction of SUN and VENUS, although aspects of this kind cannot be regarded as individualistic because they occur frequently and last for some days.



PARTNER - HOROSCOPE  
 V. POLICH / NELSON PAGE

SUSAN ATKINS




RADIX

May 7, 1948 ; 7h 30m U.T.

118 W 40 ; 34 N 05


L. VAN HOUTEN



RADIX


August 23, 1949 ; 13h 51m U.T.

118 W 15 ; 34 N 08




Radix Charles Manson  
 November 12, 1934; 21h 40m U.T.  
 84 W 30; 39 N 06





PARTNER HOROSCOPE  
MANSON/ATKINS



PARTNER HOROSCOPE  
MANSON / VAN HOUTEN

SUSAN ATKINS was born May 7, 1948 ; 7h 30m U.T. in San Gabriel (near Los Angeles) CHART I

The Radix shows an overwhelming number of planets on the West side of the Horoscope and below the Horizon. Experience shows that a radical Sun on the IC is at its most inactive place. This is very unfortunate if, as in our example, the Sun is

- a) not supported by powerful and favourable aspects; and
- b) in an almost exact square to Saturn.

Of importance also is the square of SUN and PLUTO because of the Angularity of both factors. Very remarkable is the semi-square of MARS to NEPTUNE, which because of its closeness (orb 6' of arc) refers to slaughter caused by fanaticism and/or insanity. The trial revealed that both Susan Atkins and Leslie van Houten (Chart J) had been under the devilish influence of Charles Manson who had all of his disciples under charismatic control.

LESLIE VAN HOUTEN was fully dependent upon Manson too, and her personality seems to have changed considerably through his influence.

She was born August 23, 1949; 13h 51m U.T. ; 118W15 ; 34N08 CHART J

The structure of this Horoscope with most planets on the East side shows much more initiative than the Chart of Susan Atkins. The most powerful combination is the midpoint of SUN/SATURN = ASC, which was a main link to a tragic destiny. In addition to a number of midpoints with the ASC and the MOON, she also has SUN/PLUTO = MOON ; MERCURY/MARS = MOON ; MERCURY/PLUTO = ASC ; URANUS/NEPTUNE = MOON. These are presumed to reflect the great mental and psychological instability of the person.

STEVEN PARENT, who was the first victim of the massacre, was born February 12, 1950, 22h U.T. , Pasadena, California (Not reproduced)

The Chart does not give too many indications of his tragic death. SATURN is near the Midheaven squared by URANUS. On the other hand Angular MARS on the IC could have played a decisive role, especially if the exact birth time is 8 minutes before the official one. In this case the ASC-DESC axis would fall on the famous fixed star opposition of ALDEBARAN-ANTARES, which according to ancient and modern research may reflect unusual and tragic destinies. (see, Fixed Stars, Chapter 14).

A number of characteristically destructive midpoints such as :

MERCURY/SATURN = MARS ; MARS/SATURN = MOON ;  
MARS/NEPTUNE = SATURN ; SATURN/URANUS = PLUTO  
should not be overlooked.

## THE APPLICATION OF THE TRANSIT SYSTEM IN PARTNER-HOROSCOPES

Analysis has revealed that we do not have to restrict ourselves to this more or less static interpretation of a Partner-Horoscope, for it is also possible to trace events with the aid of common and prenatal transits and cycles for these maps. To illustrate this, CHART M shows the prenatal transits for the August 1969 murders, as computed for Partner-Horoscope CHART K.

The computation is, of course, the very same as that for horoscopes of individuals, and, as explained above, is identical with the computation of Partner-Horoscopes. The time of the murders on August 9th, 1969, was: 6h am U.T. on August 10th.


EVENT	1969, August 10	6h 00m	Day 61948
PARTN. MANSON/ATK.	1921, May 20	<u>11h 50m</u>	<u>Day 44334</u>
DIFFERENCE		<u>18h 10m</u>	<u>17613</u>
PRENAT. TRANSIT	1873 Febr., 26	17h 40m	Day 26720
-----			<u>CHART M</u>

The Grand Cross among the Angular planets SATURN (MC), PLUTO (ASC), URANUS (IC), MARS (DESC) needs little explanation, for it shows the potentially violent, explosive and fatal consequences which can occur when these planets are in mutual affliction.

VENUS reaches her position in the Radix (Partner-Horoscope K) within 2' of arc. The close conjunction of prenatal NEPTUNE to VENUS (orb 20') is therefore intensified many times.

MARS prenatal is in close conjunction with MOON radical (aggressiveness).






PRENATAL  
DEVI-S.L.R.


FOR

PARTNER HOROSCOPE  
MANSON / ATKINS

PRENATAL  
SIDEREAL LUNAR RETURN  
FOR  
PARTNER HOROSCOPE  
MANSON / ATKINS



PRENATAL S.L.R.  
FOR  
PARTNER HOROSCOPE  
MANSON / V. HOUTEN



Very effective In the New Partner-Horoscope are also Sidereal Lunar Returns and their Demi's (if the latter's operational date is nearer to the date of the event).

Impressive Lunars of this kind coincide with events which partners experience together, such as : First meetings, marriages, accidents, law suits, etc. Lunar Returns as auxiliary charts, together with other factors of the Transit System, facilitate forecasting which of the two opponents is going to win the litigation. Further, the outcome of contests in all sorts of competitions such as sporting events and presidential elections may be predicted with these Lunars. For Jimmy Carter and Ronald Reagan see below.

CHART N is a Prenatal Sidereal Lunar Return for the Partner-Horoscope MANSON/ATKINS (Chart K) covering the slaughter of August 9, 1969. Here URANUS (MC), NEPTUNE (DESC) and SATURN (IC) close to an Angle characterize the violence (SATURN, URANUS ; MOON conjunct MARS in opposition to PLUTO ) and stealthiness (NEPTUNE) of the event.

CHART O is the corresponding Demi-Lunar for the same Partner-Horoscope and event. Here almost the same Angular planets appear as in the Lunar Return (Chart N). However, this Chart is more characteristic for the event as MARS is high in the sky on the Midheaven accompanied by SATURN (ASC) and URANUS (DESC), while MOON conjunct PLUTO on the IC completes the affliction of all four Angles (Grand Cross).

CHART P, a Prenatal SLR, shows almost the same Ecliptical Angular positions as its Radix, the Partner-Horoscope MANSON/VAN HOUTEN (Chart L).

VENUS conjunct MARS are on the MC and on the radical VENUS/PLUTO opposition, while URANUS and NEPTUNE form a mundane and Ecliptical square from X to VII. Cardinal Signs (Aries, Cancer, Libra, Capricorn) reinforce the strength and significance of this Map.



**THE PARTNER-HOROSCOPE OF JIMMY CARTER AND RONALD REAGAN**  
**Political Adversaries and Contenders for the U.S.A. Presidency**

The Radices of former President J. Carter and President R. Reagan have a very close mutual MOON/MOON opposition in the 13th degree of Taurus/Scorpio CHARTS Q and R

The MC/IC axis of the Partner-Horoscope, CHART S, falls exactly on this Zodiacal point.

Concerning the Presidential election in 1980, the MC/IC axis favoured more the Natal Chart of R. Reagan as it is conjunct the dominant MOON/JUPITER opposition. In fact, Jupiter of this Natal Chart is within 20' of arc of the MC of the Partner-Horoscope.

On the day of the Election, November 4, 1980, the transiting SUN was in 12° of Scorpio, conjunct the MOON of the Partner-Horoscope, the radical MOON of Carter, and, one day later, the MC of the Partner-Horoscope and Reagan's Natal JUPITER.

With JUPITER radical conjunct MC and MOON (Partner-Horoscope), reinforced by the transiting SUN, Reagan had a much better chance of winning the election.

However, the Partner-Horoscope, as an auxiliary Chart for the result of elections, litigations, etc., is only workable if the Radices of both contenders are rectified. This Partner-Horoscope shows, in contrast with the demonstrated Charts above, a Map of complete incompatibility: SATURN conjunct URANUS in X; MOON (= MOON Carter radical) square MARS. MARS in VII; square MC within 6° of arc signifies struggle.

803  
 PARTNER HOROSCOPE  
 JIMMY CARTER & RONALD REAGAN






## THE AUXILIARY PARTNER-HOROSCOPE

In cases where due to inaccuracies in the two birth times of partners definite conclusions about the relationship become doubtful, the following auxiliary chart is recommended as a support.

This chart, based on pure analogy in respect of the New Partner-Horoscope, has its origin in the consideration that the Radix of the elder Partner can be taken as the Prenatal Transit chart in respect of the younger partner's Radix. The Auxiliary Partner-Horoscope is its complementary common transit chart



$AB(c) - AC(c) - BD(c) = (3)$  equal distance(s) in days, hours, minutes and seconds  
(distance between the Radices of both Partners)

$C - A$  minus  $c =$  Partner-Horoscope J. PERON - EVITA (page 10.)

$D - B$  plus  $c =$  Auxiliary Partner-Horoscope EVITA - J. PERON (below)

This chart is warmly recommended because it does not require much computation. All figures used for the New Partner-Horoscope remain unchanged. (Please use the computed figures from page 10.)

$c$  (difference) = 8610d : 20h : 52m : 29s

Radix Evita Peron (a) 1919, May 7 08h 56m 51s U.T. 43590

constant difference  $c$ , addl 20h 52m 29s 8610


Auxiliary Partner-Horoscope

1942, Dec 3 05h 49m 20s U.T. 52201

RAMC (Buenos Aires) =  $100^{\circ} 26'$ ; MC =  $9^{\circ}$  Cancer  $25'$ ;

ASC =  $15^{\circ}$  Libra  $48'$ ; JUPITER(Evita) =  $11^{\circ}$  Cancer  $55'$ ;

SUN(Juan) =  $14^{\circ}$  Libra  $57'$



PARTNER - HOROSCOPE REAGAN/CARTER  
 June 12, 1897 ; 02h 31m 41s U.T.  
 Washington D.C.

## THE ASCENDANT-LUNAR HOROSCOPE \*

This idea originated from the following consideration :  
It is possible that the transiting Moon over the radical Ascendant could show a certain efficacy as a Return Chart.

However, miracles had not been expected as many of the auxiliary charts that had been analyzed, such as the Lunar Return derived from the Solar Return, proved to be too remote.

The only Lunar Return that seemed to match the common Sidereal Lunar so far had been the Secondary - or NATAL Quotidian-LUNAR, derived from the Secondary Progressed (and Regressed) Moon.

(The main cycles and their interpretation are explained in the writer's book ' *Prediction - Using Common and Prenatal Cycles* ').

Misinterpretation and false conclusions can be excluded from workable Lunars if these simple rules are observed:

(a) Consider only those Luminaries and planets that are near the Angles of the chart.

(b) Draw conclusions from the shape (structure) of the map, i.e. planets above or below the Horizon, accumulations in certain Quadrants, etc.

Supported by experience, a great number of Ascendant-Lunars have been analyzed, and this method has proved to be valid. Readers should note that precession of the Moon (as in all Sidereal cycles) has to be taken into consideration.

### EXAMPLE : EDWARD KENNEDY CHART I

February 22, 1932 ; 8h 58m 42s U.T. rectified, 71° W 04' ; 42° N 21'

EVENT : On July 19, 1969, Edward Kennedy was involved in an affair which caused the death of a young woman. She was drowned in his car, while he left the scene unhurt.

Kennedy who, strange to say, neither tried to help his companion nor showed up at the police station, was later acquitted of negligence or felonious intent.

\* First published by the author in 1979

## THE RELATIONSHIP CHART

(also known as the COMBIN or COMPOSITUM , of Heinrich SCHIFFMANN)

This Partner-Chart which is very much in use, is computed in bisecting:

- a) The time elapsed between two nativities
- b) The values of the geographic coordinates

EXAMPLE : Relationship-Chart VENDEL POLICH/NELSON PAGE

RADIX Nelson Page	1919, February	25	11h 23m 25s U.T.	43519
RADIX V. Polich	1892, April	26	<u>1h 48m 10s U.T.</u>	<u>33719</u>
			13h 16m 35s	77238
			divided by 2	
COMBIN POLICH/PAGE	1905, September	26	6h 38m 18s	38619

Much care must be taken if the result (addition) in days is an odd number.  
 Example : 77239 = 38619 and ( + ) 12 hours


North. Lat. Page	51° 32'	West Long. Page	- 0° 08'
" Polich	<u>45° 34'</u>	East Long. Polich	<u>+ 19° 23'</u>
	97° 06' / 2		19° 15' / 2

NORTH. LAT.      48° 33'    COMBIN    EAST LONG.      9° 38'

-----


CHART (not reproduced) MC = 21° Cap 59' : ASC = 17° Lib 20'

The above illustrates the usual way of calculating these charts. The writer is very doubtful about the usual handling of this Relationship Chart. The bisection of the coordinates produces places in the world that are rather artificial and which have no connection with any of the partners involved. Experience shows that any astrological chart has to be related either to the birthplace, the place of residence, or the place of the happenings. The writer's analysis of these Relationship Charts, the effectiveness of which seems to be very limited, showed that the place where the two partners first met gives more impressive results. The reader is invited to test the continuous superiority of the New Partner-Horoscope over this Relationship Chart.



#1-91

EDWARD KENNEDY  
 CONCEPTION HOROSCOPE (rectified)  
 June 2, 1931 ; 22h 42m 29s U.T.  
 71 W 04 ; 42 N 21



HRC

EDWARD KENNEDY  
 RADIX (rectified)  
 February 22, 1932 ; 8h 58m 42s U.T.  
 71 W 04 ; 42 N 21

## COMPUTATION OF AN ASCENDANT - LUNAR CHART

Radix EDWARD KENNEDY : EVENT as above, July 19, 1969

The appropriate Ascendant-Lunar : June 29/30, 1969

MOON	10° Capricorn	58'	(Ecliptical position of ASC rad.)
		+ 31'	(Precession for 37 years)
	11° Capricorn	29'	
	2° "	43'	(Moon, June 29, Noon) ✓
	8°	46'	(difference)
	15°	20'	(Moon's apparent motion in 24h)

$$8^{\circ} 46' / 15^{\circ} 20' * 24 = 13h 43m$$

13h 43m was finally adjusted to 13h 34m (1h 34m) as the rectification of the Conception-Horoscope (see below) gives an Ecliptical Moon position of 10° Cap 51'

13h 34m  
 2m 14s (acceleration in 13h 24m)  
6h 29m 34s (Sid. Time June 29, Noon)  
 20h 05m 48s (RAMC Greenwich)  
 - 4h 44m 16s (Boston slow)  
 15h 21m 32s RAMC BOSTON (Chart 2)

42 N 20  
71 W 00

Using the approved method of interpretation wherein those planets characterizing the event are close to the Angles of the Lunar Return, we notice that NEPTUNE, the previously described planet in the Radix, forms a close conjunction with the MC of our Ascendant-Lunar. The suitable symbolism for our event is:

Drowning of a young woman = NEPTUNE opp. VENUS on IC. The drowning itself is supported by the conjunction of MARS and NEPTUNE.

Neptune's elevation over all the other factors symbolizes the actual mystery of this event, which has apparently never been solved. The incompatibility of MARS and NEPTUNE is referred to in the 'Partner-Horoscope'.

For PRIMARY DIRECTIONS see Ed. Kennedy's Radix (Chart 1) and Directions.

The symbolism of an unusually high number of Directions shows that a great number of the demonstrated Directions reflect the event.

This case has naturally caused many doubts but it did not end Kennedy's political career, which, considering the attitude of the public to such incidents, may be regarded as extremely unusual.

Perhaps it is the conjunction of MOON and NEPTUNE in Kennedy's Radix in a very close sextile to the MC that may be identified with this event. It was a mysterious affair (Neptune) in which a woman (Moon) was drowned (Neptune). Moon conjunct Neptune is in the 8th House, the House of death. On the other hand, the sextile of Moon and Neptune to the MC saved Kennedy from being expelled from politics.

Concerning the incident itself, a major role should also be played by the conjunction of VENUS (young woman) with URANUS (unusual event), in the 3rd House, the House of trips and short journeys.

Remarkable in this combination is the very close square of Venus to the Ascendant and consequently to the Descendant (partners). In this connection, it was the close trine of JUPITER to URANUS that inspired Kennedy 'to do the right thing at the right time', i.e. not surrender himself to the police. Incidentally, it seems very likely that Kennedy was completely drunk at the time of the incident (Moon, Neptune). To be honest, we cannot say that the Radix itself points to the 'most important man in the State'.

However, analyses of horoscopes of U.S. Presidents with reliable birth times revealed that the Radix alone does not show whether a politician will be elected President one day or not. In contradistinction to this are the horoscopes of rulers of states, such as dictators, and especially queens and kings. In the Radices of these, with few exceptions (short reign), planets are to be found in the neighbourhood of the MC.

(See Radices of British Monarchs, Prediction II)



CHART 4 : An Ascendant-Lunar for Kennedy's plane disaster in June 1964 shows three planets appropriate for the event, i.e. SATURN, URANUS and PLUTO on the MC - IC axis.

CHART 5: shows an Ascendant-Demi-Lunar for the sudden death of Kennedy's sister caused by a plane disaster. Here the three malefics MARS, SATURN and PLUTO are high in the sky on the MC in a mundane square to the MEAN NODE (Tail). The latter indicates an end to the relationship of people by death if, as in our case, aspected by SATURN (mourning) and PLUTO (shock).

CHART 6 : shows an Ascendant-Demi-Lunar for the death of Kennedy's father which occurred on November 4, 1969.


The corresponding Ascendant-Lunar, October 17, 1969; 10h 02m U.T. (not reproduced), which already went into operation 25 days before the event, points out the event with MARS (17° Capricorn) on IC (14° Capricorn) Much more characteristic for the event is the Ascendant-Demi-Lunar. MARS is on the MC; SUN opposite SATURN and NEPTUNE have the Ascendant as common midpoint. SUN (7° Sco20') and SATURN (5° Tau18') both symbolizing the father, are conjunct the radical ASC-DESC axis. As can be seen, Demi-Lunars are always erected on the corresponding Moon's opposition. In our case we have to deal with the position of the radical Descendant plus 31' of Precession.

#### CONCLUSION :

The described Ascendant-Lunars and Demi's may be used as auxiliary charts of considerable efficacy. However, these Lunars are destined to fulfill much more important tasks, once their astronomical and astrological significance becomes fully realized. As we know, the apparent movement of the Moon is one degree in two hours (average), while the Ascendant covers a whole Sign of the Zodiac (30 degrees) in two hours (average). Therefore, in all cases where analyses with Ascendant Lunars of the demonstrated kind produce fairly good results, we can be absolutely sure that we have a well-authenticated birth time as:

Even a difference of 5' of arc in the Ascendant's Longitude alters the Universal Time of an Ascendant Lunar by 10 minutes in time. Accordingly a difference of 15' of arc between the true Ascendant and the Ascendant originating from records, changes the U.T. and consequently the RAMC of our Ascendant-Lunar by 30 minutes.


EDWARD KENNEDY



CONCEPTION LUNAR (ASC Lunar)

June 30, 1969; 1h 34m U.T.

For YOUNG WOMAN DROWNED July 19, 1969



~~DEMI~~ CONCEPTION LUNAR (ASC Demi Lunar)

May 29, 1964; 10h 56m U.T.

For PLANE CRASH June 1964

There is no need to point out that a difference of 30 minutes changes the shape of any cyclic chart considerably. In order to confirm our research results, the author has used 15 rectified birth charts and, as the Ascendant-Lunars revealed, with only one failure. That is to say, 14 properly rectified horoscopes, using a considerable number of events, have been confirmed by the above demonstrated Ascendant-Lunars within a few minutes of arc.


In all cases where the Ascendant-Lunars do not produce characteristic charts for corresponding events, it is possible to experiment with Ascendant positions (Lunars) for earlier or later birth times. This method of rectification does not need any trigonometrical knowledge but requires some caution and patience. It is, after the rectification method with Primary Directions, the most reliable method for authenticating birth times within a few minutes of arc (of RA-MC).

The Ascendant-Lunar may be compared to a magnifying glass, where the multiplier is 30 to 1, i.e. one minute of changed birth time corresponds to thirty minutes in the Ascendant-Lunar time (average). This is because the Ascendant moves 15' of arc in one minute of time and it takes the Moon 30 minutes in time to travel this 15' of arc. In cases where the true birth time cannot be detected because it is too far out of range for the recommended method, the reader should use common Sidereal Lunar Returns. In this case, one minute of difference in the birth time corresponds to one minute of Lunar time. After a rough rectification with Sidereal Lunars we may continue a more refined rectification with Ascendant-Lunars.

The Ascendant Lunar is highly effective in all Radices which represent a normal birth, i.e. where the time period between conception and birth has been 9 months (around 270 days).

The most reliable rectification method, of course, remains the rectification with Topocentric Primary Directions, with a considerable number of events available. (See, *Prediction II*)

EDWARD KENNEDY




DEMI CONCEPTION LUNAR (ASC Demi Lunar)

May 12, 1948 ; 22h 35m U.T.

For SISTER PERISHED IN A PLANE CRASH

May 13, 1948



PRENATAL DEMI CONCEPTION LUNAR

June 24, 1914 ; 8h 49m U.T.

For SISTER PERISHED IN A PLANE CRASH

May 13, 1948

## A NEW RELIABLE METHOD TO TRACE THE CONCEPTION - HOROSCOPE

The analysis of the Ascendant- Lunar demonstrated on the Radix of Edward Kennedy showed the application of this Sidereal Lunar Return to achieve well-authenticated birth times. However, going more deeply into this subject, the writer realized that the Ascendant-Lunar perhaps could be the first clue for an identification of the Conception-Horoscope, also called the Prenatal Epoch.

Those readers who are acquainted with elements of the Prenatal Transit System perhaps already expect a prenatal equivalent for this Ascendant-Lunar.

Indeed, work on a Prenatal Ascendant-Lunar was simultaneously carried out with the hope of making a successful approach to the astrological expression and the timing of a Conception-Horoscope.


According to some traditional beliefs, the Ecliptical position of the radical Ascendant or Descendant should correspond to the Ecliptical Moon position of the Conception-Horoscope, i.e. the Prenatal Epoch. On the other hand, the radical position of the Moon should be identical with the Ascendant or Descendant of the Conception-Horoscope. Prior to the author's newly-started research upon this matter, all the experiments failed, because the horoscopes with well-authenticated birth times could not be forced to fit into these mutually dependent conditions.

A comparatively simple answer to the question of a Conception-Horoscope, which in the author's opinion had never been solved to full satisfaction, is a PRENATAL SIDEREAL-LUNAR derived from the Ascendant-Lunar. (See previous chapter).

Let us presume that the Moon of the Prenatal Epoch (Conception-Horoscope) should have the very same Ecliptical position as the radical Ascendant, then we may, if the experiments are successful :

- (a) rename the Ascendant-Lunar of the Radix as an ordinary Sidereal Lunar of the Conception-Horoscope ;
- (b) be able to find the date and time of the Conception-Horoscope with the aid of the prenatal version of the Ascendant-Lunar (now the Conception-Lunar) ;
- (c) regard the identified Conception-Horoscope as the astronomical and astrological center of both the ordinary Lunar (formerly ASC-Lunar) and its prenatal equivalent, the Prenatal-Lunar .


A great help in all the investigations has been the fact that, with only one detected exception, it was possible to experiment with well-authenticated (rectified) birth times. This provided a really consolidated starting point. Neither traditional rules nor modern medical assumptions had been fully taken into consideration, because the search for the Conception-Horoscope has been carried out by purely astronomical and astrological means. The Prenatal Sidereal Lunar of the Conception-Horoscope, the date and time of which was at first unknown, served as a fundamental idea.



This seemed to be a mathematically insoluble problem. However, the following consideration helped to find a solution: The distance between date and time of the Conception-Horoscope and the already known Lunar Return of the Conception-Horoscope (formerly the Ascendant-Lunar) must be almost the same as the distance between the unknown Conception-Horoscope and the still unknown date and time of the Prenatal Lunar of this Conception-Horoscope.

Presuming that the former Ascendant-Lunar of the Radix is in fact the ordinary Lunar of the Conception, we may proceed as follows:


EDWARD KENNEDY



ASC DEMI LUNAR (Demi Conception Lunar)

October 30, 1969 ; 22h 10m U.T.

For DEATH OF FATHER (November 4, 1969)



PRENATAL DEMI CONCEPTION LUNAR

January 2, 1893 ; 10h 12m U.T.

For DEATH OF FATHER November 4, 1969

A glance at the Ephemeris shows that the Moon had reached 10° Cap 51' on January 16, 1893. Because of the irregular apparent motion of the Moon the true prenatal Lunar date may differ from the computed one by roughly up to three days. In our case we observe a difference of two days.

### COMPUTATION 3

MOON Conception Horoscope	10° Capricorn 51'
Recession 1931 - 1893	- 31' (subtractive as prenatal)
	<u>10° Capricorn 20'</u>
MOON January, 16, 1893	8° Capricorn 30'
difference	1° 50'
MOON in 24 hours	12° 35'

$$1^{\circ} 50' / 12^{\circ} 35' \times 24 = 3h 30m$$

3h 30m

35s (acceleration)

19h 44m 35s (Sid. T. at Noon, January 16, 1893)

23h 15m 10s RAMC Greenwich

- 4h 44m 16s Boston slow

18h 31m RAMC BOSTON (Chart 6 B)

In this Prenatal Chart we notice an unusually large number of planets on the Angles. According to experience, this indicates that in this Lunar period an event is very likely to happen. The death of father is shown by the closely ascending MARS and the descending SATURN which also has a small orb, while JUPITER, still within the region of the Ascendant, points to an inheritance and succession.

WE find the same MARS/SATURN opposition associated with Jupiter in the prenatal Demi-Lunar which naturally is closer to the event by two weeks (Chart 6a). The Angularities of MERCURY and VENUS in both Maps (Chart 6a and Chart 6b) could be a further indication for the inheritance and the formalities associated with it.

VENUS = money ; MERCURY = documents).



## COMPUTATION 1

To find the time period of the Conception-Horoscope on the Radix of Edward Kennedy (Chart 1)

BIRTH February 22, 1932	48264 (from Day-Number-Tables)
minus 273 days	<u>273</u>
<u>May 25, 1931</u>	47991

We have to look for the Conception-Horoscope around this date if we are dealing with a normal birth. In question are those days at which the Moon reaches either the place of the radical Ascendant or Descendant. According to the Midnight Ephemeris, 1931, we get the following dates as possible of the true Conception-Horoscope.

A. June 2 MOON	28° Sagittarius	15'
B. May 21 "	9° Cancer	50'
C. June 17 "	5° Cancer	54'

Points as far as C may be probably neglected.

In most cases analyzed success was achieved at the first attempt because the true date and time of the Conception-Horoscope were in the vicinity of the hypothetical date, here May 25, 1931.

In our case June 2, 1931, was detected as the true astrological date.

## COMPUTATION 2:

Conception-Horoscope, Edward Kennedy June 2, 1931


Event: Death of father November 4, 1969

Corresponding Lunar of Conception (formerly ASC-Lunar) = Oct. 17, 1969

4-11-69  
Y-11-69  
PNE -


October 17, 1969	62016
- June 2, 1931	- 47999
difference in days	<u>14017</u> subtract
January 14, 1893	33982
-----	





EDWARD KENNEDY  
 PRENATAL CONCEPTION LUNAR  
 January 16, 1893 ; 15h 30m U.T. Boston  
 For DEATH OF FATHER November 4, 1969

42N20  
 7:1W00



EDWARD KENNEDY  
 PRENATAL CONCEPTION LUNAR  
 December 14, 1898 ; 17h 47m U.T. Dallas  
 For ASSASSINATION OF HIS BROTHER J.F.K.

In the actual Conception-Demi-Lunar (Chart 6) originally reproduced above as Ascendant-Demi-Lunar, the necessary indications for 'Death of father', such as the Angularities of SUN, MARS and SATURN are already registered.

For 'the entering upon an office' by Edward Kennedy as a Senator on January 9, 1963, the corresponding Prenatal Conception Lunar is at November 7, 1899 (Chart 7). The characteristic planets for this event are undoubtedly SUN conjunct JUPITER on the Descendant.

The corresponding Prenatal Demi-Lunar shows a conjunction of MARS and JUPITER on the Ascendant (Chart 7a). With this Map, two weeks nearer to the event, the Cardinal position of JUPITER in the LUNAR (Chart 7) has been verified.

The reader may have noticed that in this chapter only converse, i.e. prenatal charts have been discussed and reproduced. This is because these prenatals are the only charts that may be taken as proofs for the properly authenticated Conception-Horoscope (Prenatal Epoch), while Ascendant-Lunars in the previous chapter, here renamed Conception-Lunars support the theory for charts which seem to be appropriate for the events analyzed.

The author's trust and confidence in this theory result from the analysis of a great number of Radices.

Two more events in Edward Kennedy's life are reproduced which should not only show the efficacy of the charts but which help to confirm the validity of the Conception-Horoscope (Chart 1a).

EVENT: Assassination of his brother, JOHN F. KENNEDY.

computed for the place of the happenings, Dallas (Chart 8).

SATURN on the MC in opposition to Pluto on the IC within a mundane accuracy of 9' of arc. (RA Saturn = 254° 38'; RA Pluto = 74° 29')

For 'His sister's death in an air crash'; May 13, 1948, the Prenatal Demi-Lunar of the Conception Horoscope, June 24, 1914, is reproduced (Chart 5a). MARS on IC and SATURN on ASC are in a very close mundane square. (See also the corresponding Demi-Lunar, Chart 5, as explained above).

## THE DOBL-TEST \*

### BY PRIMARY DIRECTIONS AND THE CONCEPTION-HOROSCOPE

While Lunar Returns and their Prenatals derived from the radical Ascendant which we renamed as Conception-Lunars, are only imperfect proofs for the usefulness of the Conception-Horoscope, other methods had to be found to give this phenomenon a true, practical and scientific base. The best way for this, so it seemed, was a test that would show the efficacy of this Conception-Horoscope in other already proven astrological systems when working on a birth chart. In contradistinction to the Lunars that we used above for the search of the Conception-Horoscope via characteristic planets on the Angles of the chart, Primary Directions which mature with very small orbs should not only prove the effectiveness of the chart but, what seems to be more important, could give decisive proofs of the precise date and time of the Conception-Horoscope also known as the Prenatal Epoch.

The workings of Primary Directions have been extensively explained in 'Prediction II - Directions and the Art of Rectification'. Here the author will restrict himself to general explanations.


The following Primary Directions have been found to be effective in the Radix and the corresponding Conception-Horoscope :

- a) Radix factors directed to Radix factors
- b) " " " " factors of the Conception-Horoscope
- c) Factors of the Conception-Horoscope directed to factors of the  
Conception-Horoscope
- d) " " " " directed to Radical factors.

As on the average the number of possible Directions increases here by four times compared with our usual Radix analysis, the greatest care must be taken concerning a rectified Radix and Conception-Horoscope, small orbs of the Directions, and the true symbolism of Luminaries, planets, Angles and House Cusps.

As in the analysis of V.I.P.'s the near circumstances of the available events are not always known, we have to restrict ourselves to the most effective and characteristic Directions.

\* First published by the author in 1983



JUAN D. PERON  
 CONCEPTION HOROSCOPE (rectified)  
 January 8, 1895 ; 7h 38m 34s U.T.  
 59 W 05.4 ; 35 S 11

#### 4. ENLISTED IN ARMY

Here, as in many other Radices analyzed, MARS plays a main role by his pure symbolism. The 12th Cusp expresses perhaps a confinement to the barracks for a certain time.

#### 5. MARRIAGE

These characteristic Directions with the Significators ASC and DESC, combined with : MOON, VENUS and JUPITER, do not need any explanations.

#### 6. SHAKEN IN DEBATE

MERCURY and the 3rd Cusp symbolize the debate, while MC d square NEPTUNE may have involved some sort of misunderstanding or confusion.

#### 7. HIS BROTHER, J. F. KENNEDY ASSASSINATED

The DESCENDING NODE represents here ' separation from a relative or friend by death . Very significant are the Secondary Directions with the 3rd Cusp symbolizing the brother.

#### 8. PLANE CRASH

The accident itself is symbolized by URANUS d conjunct MERCURY and ASC d quincunx PLUTO. SATURN c square DESCENDING NODE could be characteristic for the death of a relative or friend involved in the same accident, circumstances of the plane crash the writer does not know.

#### 9. BROTHER ASSASSINATED

As in the similar event No. 7 the NODE appears this time with NEPTUNE (ambush, conspiracy).

#### 10. YOUNG WOMAN DROWNED

This event which was noticed world-wide has been explained in connection with the Birth Chart and Lunar Returns. It is backed up by a considerable number of characteristic and powerful radical Directions. The DESCENDING NODE indicates death (of a relative or friend) while reached by the converse radical MC. Sudden death by accident is covered by VIII d opposite URANUS.

I remind the reader that in Primary Directions the 8th Cusp is a Signifier of death for the people in the native's surroundings, but never for the death of the native himself.



The reader will notice that five of Edward Kennedy's main events have already been demonstrated in various Conception-Lunars which however in the first instance express the main psychological experiences of the native during the time period of the cycle in question, and should not be combined with the interpretation of Directions.

DUAL-TEST RECTIFICATION : RADIX AND CONCEPTION-HOROSCOPE OF EDWARD KENNEDY  
(See page 99)

1. OPERATION (Tonsils)

Of significance here is XII converse semisquare SATURN rad., which might express a stay in a hospital and (or) some endured pain. Pain is also expressed in ASC direct (Epoch) sextile SATURN rad. Experience has shown that malefics (MARS, SATURN, NEPTUNE, PLUTO), if directed, in harmonious aspects to other radical factors do not necessarily produce positive, i.e. agreeable events. Of course, this sextile obviously also expresses that the operation had been successful and probably without any complications.

URANUS c conjunct VENUS points to 'Tonsils' by two radical and conceptional indications:

Radix aspect : VENUS conjunct URANUS (Chart 1)

Epoch aspect : VENUS near an Angle, in Taurus, the Sign symbolizing the neck. (Chart 1 a)

2. BROTHER DIED IN A PLANE CRASH

Here the three Directions with PLUTO are most characteristic. Although the 3rd House Direction with VENUS in III (brothers, sisters) would suit the traditional rules of interpretation, the efficacy of a female planet in this connection seems to be doubtful.

As can be seen on the list, PLUTO is involved in most of the deaths of Edward Kennedy's relatives.

3. SISTER DIED

Beside PLUTO (two squares with the IC) VIII d opposite MOON is very characteristic for the event.

As both charts are very characteristic for the event it is impossible to make a reliable choice for the position of the Moon in the wanted Conception-Horoscope, i.e. whether the ASC or the DESC of the Radix (Chart A) should be the Zodiacal point of the Moon in the Conception-Horoscope.

On the other hand the reader might have noticed that MOON Radix = 6° Gemini 54' is very close to the rectified radical Descendant = 6° Gemini 48'. For this reason in this Radix the common Sidereal-Lunar for the radical Moon will always give similar results to the Lunar erected on the Tropical(precessed) position of the radical Descendant. The only way in this exceptional case is a search for the not-yet-known date and time of the Conception-Horoscope by means of prenatal Conception-Lunars.

At first we try to find the date of a possible conception.

Date Radix October 8, 1895, plus 3 months minus 1 year = January 8, 1895. We notice that the Moon reaches the radical Descendant exactly on this date. The distance between both dates consists of 273 days which corresponds to the average time that passes between the conception and the birth under normal conditions.

In this case we have good reason to assume that we have found the wanted date for the Conception-Horoscope.

Wanted time for Jan 8, 1895 MOON = 6 Gemini 48'

The assumed provisional date and time for the Conception-Horoscope gives: January 8, 1895; 7h 34m U.T., RAMC = 162° 01' (Birth coordinates, assuming that the place for conception and birth were identical).

We have now the possibility to check this date with the aid of Prenatal Conception-Lunars, or to risk a rectification. The writer recommends that the date is first confirmed or rejected with a number of Prenatal Conception-Lunars. (This especially in cases, where no micro-processor is available).

#### COMPUTATION:

Descendant-Lunar for death of father

	October 31, 1928	47055
Conception ?	<u>January 8, 1895</u>	<u>34706</u>
difference, subtract		12349
March 18, 1861		22357

Date and time of, Descendant-Lunar (Conception-Lunar?) CHART V (page 58)  
March 17, 1861: 21h 15m U.T. (1 day difference because of the irregular apparent motion of the Moon).

## 11. FATHER DIED.

Here MC d square PLUTO is the most impressive Direction for the event. Traditional Astrology would associate PLUTO with a rulership of the radical MC in Scorpio (death).

As in Radical and Directional interpretations, the traditional rulership of planets only occasionally fits the situation, the writer always first considers the true symbolism of the planets and the Houses as Significators. On the other hand it is obvious that the traditional rulership of planets, giving each planet two Signs of the Zodiac, is not justified since three more planets have been found.

JUPITER square ASC, although a very powerful Direction, cannot be directly associated with the death of Ed. Kennedy's father. It may concern some difficulties in matters of an inheritance, which here might have been reflected by PLUTO c sextile JUPITER. (Jupiter/Pluto combinations are typical for inheritances and successions).

## 12. ELECTED SENATOR

The 3rd Cusp is the true Significator for elections; supported by favourable Directions with: MC, SUN, MERCURY, MOON, JUPITER and URANUS.

**EXAMPLE 2 : JUAN DOMINGO PERON**, Party leader and President of Argentina

CHART A (page 4)

RADIX rectified: October 8, 1895, 12h 04m 22s U.T. 59°W05' ; 35°S11'

### SEARCH FOR THE CONCEPTION - HOROSCOPE VIA ASCENDANT-LUNARS


After a satisfactory rectification of PERON's Radix it is first necessary to ascertain the result with Ascendant-Lunars (already demonstrated on Edward Kennedy's Chart above).

The computed ASC-Lunar for the death of Peron's father gives a CHART (T) with the following indications: (page 57)

MC 8° Aries; URANUS 4° Aries; DESC 21° Sagittarius; SATURN 17° Sag.

The corresponding DESC-LUNAR, CHART U (page 57)


IC 4° Aries ; URANUS 5° Aries; DESC 19° Cancer; PLUTO 18° Cancer; MARS 5° Cancer .



CONCEPTION LUNAR (DESC. Lunar)

October 31, 1928 ; 1h 49m U.T.


For DEATH OF FATHER Nov. 10, 1928




DEMI CONCEPTION LUNAR (ASC Lunar)

October 17, 1928 ; 14h 31m U.T.

For DEATH OF FATHER Nov. 10, 1928



JUAN D. PERON  
 PRENATAL DEMI CONCEPTION LUNAR(ASC LUN)  
 April 6, 1844 ;19h 06m U.T.  
 For 2nd MARRIAGE October 22, 1945




JUAN D. PERON  
 PRENATAL CONCEPTION LUNAR  
 March 17, 1861 ; 21h 15m U.T.  
 For DEATH OF FATHER Nov.10, 1928

The reader will observe that in many cases where Directed radical factors had been compared with radical positions of the Conception-Horoscope and vice versa, the orbs exceed the usual limit although the appropriate symbolism for the event analyzed cannot be denied. Astronomical reasons for this difference are under observation. To put these 'outsiders' on correct mathematical and astronomical grounds needs some more research into this matter.

The writer advises the reader to start the DUAL-TEST with the Radix and the Conception-Horoscope on their own charts and on the Radices of their relatives and friends. Subsequent observation of major and minor events and their circumstances help to classify the corresponding Directions.

JUAN D. PERON



CONCEPTION LUNAR (DESC Lunar)

May 14, 1953 ; 7h 38m U.T.

For DEATH OF MOTHER May 30, 1953

MC 16° Gemini; URANUS 8.5° Gemini; MOON 6° Gemini 19 ;  
ASC 7° Virgo ; SATURN 5° Virgo

SATURN for 'Father' and URANUS probably for a sudden event (most cycles analyzed for this event have a dominant URANUS) are very promising for our conception date.

We compute another prenatal chart to confirm the promising result.

EVENT: 2nd marriage October 22, 1945.

Corresponding Demi-Conception-Lunar October 10, 1945 (not reproduced)

Prenatal Demi-Conception-Lunar April 6, 1844, 19h 06m U.T., CHART W  
(page 59)

This chart with VENUS, MARS on MC and MOON on DESC (orb 1°) satisfies the conditions for marriage.

The writer reminds the reader that for the interpretation of all kinds of Lunars, only planets close to the Angles are characteristic for an event or the psychological experience of the native during the time period in question. Sometimes Ecliptical squares to these Angular planets with orbs under two degrees may be of some importance. Lunar planets in aspects to radical factors are in general inconsequential. Here the transits of the day of the event and the corresponding prenatal transit-day should be observed more closely.

Very characteristic for a conception with MOON in 6 Gemini are the Descendant-Lunars (Conception-Lunars) for Peron's death. July 1, 1974.

Conception-Lunar, June 18, 1974 19h 11m U.T.; CHART Z (page 63)

MC 13° Leo; MARS 6° Leo; ASC 3° Sagittarius; MOON 7° Gemini 54';  
NEPTUNE 8° Sagittarius.

The corresponding Prenatal-Conception-Lunar:

August 28, 1815, 1h 57m U.T.

MC 4° Aquarius SATURN 7° Aquarius


ASC 0° Taurus; Mars 29° Aries

Experience shows that in cases of illnesses and death the converse (prenatal) charts are usually more characteristic for the event.

The final decisive test for the validity of any Conception-Horoscope is a rectification with Primary Directions in the same way as demonstrated with the Radix of Edward Kennedy. (See page 101)




JUAN D. PERON



PRENATAL CONCEPTION LUNAR

August 28, 1815 ; 1h 57m U.T.

For DEATH July 1, 1974



CONCEPTION LUNAR

June 18, 1974 ; 19h 11m U.T.

For DEATH July 1, 1974

## SUPPLEMENT

While the manuscript of this book was waiting to be printed, the writer succeeded in finding some more particulars and rules about the workings of the Prenatal Epoch that should facilitate search and analysis.

1. In order to perform the DUAL-TEST a rectified birth chart is indispensable.

2. The general rule has to be observed: namely, the MOON is either waxing in both the birth and Epoch maps, or else waning in both maps. (Exceptions to this rule occur only when the birth is premature, artificially induced, or performed surgically: thus Queen Elizabeth, born by caesarian section, has a waxing Moon in her Radix but a waning one at conception).

3. In most cases the Zodiacal longitude of the radical Ascendant or Descendant is almost identical with the longitude of the Conception Moon.

3(a). The almost perfect congruency of radical Ascendant-Descendant and Conception Moon is obviously related to the critical location of the radical Ascendant which, despite an exact RAMC rectification, depends also on the exactness of the birthplace coordinates.

→ 3(b). Experience shows that by paying regard to the rules 1 to 3a, in most cases, the final rectification of the Conception-Horoscope does not cause any difficulties as its directed factors (to the Conception-Horoscope and to the Radix) produce sufficient Directions for a secure rectification. Limited to the position of the Moon (radical ASC or DESC), the speculative time for the conception is much closer to the true one than the usually available unrectified time of birth.

### 3(c). Exceptions :

In very few cases (up to the present day only three out of 52) the difference between the position of the radical Ascendant (or Descendant) and the Conception Moon may reach and even exceed one degree. Here the writer recommends proceeding as follows:

If rule 3 seems not to work, it is necessary to make an analysis with the Conception-Lunar described in this book.

These exceptions obviously result from some irregularities which are connected with the actual birth process.

About thirty events (eight of which were common to the twins) analyzed in the horoscopes of both twins brought the proof that in this special case the Ecliptical, radical Midheaven position of the twin born first proved to be the wanted Moon position for the Conception which, of course, these identical twins had in common.

Another peculiarity of these Nativities was an eight months' time period between conception and birth which in the case of identical twins is not unusual.

#### Summarized features of this analysis:

1. The identical twins were born with a time difference of two hours.
2. We had to deal with eight months' babies.
3. Conception and birth happened at different localities.
4. The MC of the elder twin was the base for computing the Conception Horoscope. (MC twin 1 = Moon of Conception).

The outcome of the analysis for 1 - 4 corresponds to the witness of the mother as well as to the historically provable date, the liberation of Riga on May 22, 1919.

This analysis may be a link for further investigations into the lives of identical twins. Charts and events in the life of these will be demonstrated in a U.S. astrological journal.

4. The starting point for the conception should be what we may call the **Middle Epoch Day**.

This date corresponds to a radical Moon position nine months before birth.

5. The general rule which, with amendments, has been adopted from ancient astrologers, and which states that the duration of pregnancy is shorter if the Moon in the birth chart is above the horizon and longer if the Moon in the birth chart is below the horizon has not been found reliable. Although this rule does produce results that are statistically significant, its frequency of being correct falls too short for it to be considered as a general rule.

6. The rule that the Ascendant or Descendant of the Conception Horoscope should correspond to the radical Moon is not valid. Moreover, it is illogical to expect a mutual congruency between the Ascendant or Descendant and the Moon in both the birth chart and the Conception Horoscope.

#### 7. Seven month's babies:

Here reduced to seven months, possibly the same rules have to be applied as in normal cases. So far only one reliable (secure) case has been successfully analyzed.

#### 8. Identical twins:

The following particular case has shed much light on astrological research of twins.

‘About 10 years ago the writer succeeded in rectifying the birth charts of identical twins who were born with a time difference of two hours. However, in spite of several efforts during this long period of 10 years, it seemed to be impossible to find the conception date and time which these identical twins should have in common. This in spite of the fact that the day of conception was undoubtedly known’. The father of these twins stayed only one day in his home while fighting against the Soviets when liberating RIGA on May 22, 1919). In the mean time a great number of scientifically correct and provable Epoch identifications have been produced by the writer, validating the above demonstrated cognitions.

## **AN INTRODUCTION INTO THE WORKINGS OF FIXED STARS**

The following research results are based on over 120 rectified birth charts of which about 70 are the horoscopes of V.I.P's. and 50 of relatives, friends and clients.

The controversial treatment of fixed stars by the ancients as well as in the middle ages and in our time made it quite difficult to find a solid base and a real starting point. Nevertheless, it must be admitted that a lot of truth can be found in the traditional interpretation and evaluation of fixed stars. Here mainly the research during the bloom of Arabian culture seems to be essential for the names of the fixed stars and their characteristics.

However, modern astrological research should be free of magic, superstition and other Neptunian analogies. From this point of view, as confirmed by analysis, the nature of fixed stars should neither be connected with the name of their constellations nor with the name of Zodiacal Signs whether applied in the Tropical or Sidereal measurement.

According to tradition, SIRIUS, a bright star of the 1st order, is correctly classified as benevolent. In contrast with this traditional statement, Sirius is also said to be effective in dog bites or assaults of wild animals, merely because it is located in the constellation of the GREATER DOG. There are many examples of this kind which contradict the actual nature of the star in question.

A second problem which seems not to have been solved is the true symbolism of any fixed star. Here we find contradictory interpretations throughout the whole star catalogue.

I hesitated a long time before I decided that fixed stars should have an individual significance which in its pure form can only be traced if their dominant position is an Angle and no other factors (Luminaries or planets) are involved. For this reason I have classified fixed stars only as:

a) BENEFIC b) MALEFIC or c) NEUTRAL

I fully agree that fixed stars may shape the destiny of individuals as well as the destiny of countries and states. No wonder that individuals who have decisively influenced mankind's history in politics, science or the arts show more influence from fixed stars than ordinary persons.

**RELATIONSHIP OF THE MOON AND ASCENDANT IN  
THE RADIX and THE CONCEPTION MAPS**

Native	ASC	Indicator	MOON	Indicator	Interval (days)
	Long	Moon rad	Long	Moon e	
Queen Victoria	1 GE 20	B F	1 GE 19	B F	273
George V	18 PI 58	A F	18 PI 59	B F	280 274
Edward VIII	4 AQ 10	B N	4 LE 10	A N	266
George VI	0 SC 11	B N	0 SC 10	B N	275
Elizabeth II	13 CP 23	A F*	13 CN 28	A N*	275
J.F.Kennedy	18 LI 19	A F	18 LI 19	B F	270
R. Reagan	25 SC 50	B F	25 TA 51	A F	273
W. Mondale	6 PI 19	B F	6 VI 21	B F	285
Ed. Kennedy	10 CP 58	A N	10 CP 51	B N	264
John Lennon	16 AR 09	A F	16 AR 09	A F	268
Grace(Monaco)	4 SC 41	B F	4 TA 40	B F	270
Rainier( " )	5 AR 38	A N	5 AR 40	A N	265 =====
Average Interval =					270

**Indicators :**

- A → above the horizon
- B = below the horizon
- N = waning, i.e. approaching the New Moon
- F = waxing, i.e., approaching the Full Moon
- r = radix
- e = epoch

\*Note that the normal birth times, without exception, have the same indicators in the birth and epoch charts (approaching a New or Full Moon.) Queen Elizabeth's birth is an exception because the birth was overdue and required a caesarian section.

## MUNDANE CONJUNCTIONS OF FIXED STARS IN RADICES OF INDIVIDUALS

Much more effective than fixed-star conjunctions in longitude are their conjunctions in RA, OA and OD with the Angles of the Radix and to a certain extent also with the Angles transposed to permanent places of residence.

It is quite evident that the Transit and Prenatal Transit Systems as well as the traditional Directional Systems (Prediction II) follow the Tropical measurement to the full extent. This is quite logical as the Tropical measurement is directly associated with the Ecliptic, the base of our planetary system. However, it cannot be denied that the fixed Heaven with its fixed stars in the constellations is superimposed on our Solar System.

The high efficacy of Sidereal Solar and Lunar Returns is to be found in the conjunctions of Luminaries and planets to the Angles of the chart.

These conjunctions are only truly significant if they are computed in a mundane manner, i.e. in RA on MC and IC, and in OA (OD) to the Ascendant (Descendant). We have to realize that these conjunctions are completely dissociated from the Ecliptic. This dissociation suits fixed stars best as they belong to the superimposed Heaven and, besides this, in most cases have a very high latitude, i.e. a very remote position from the Ecliptic. ←

For the following examples, most of which are taken again from rectified radices published in Prediction II, I used only the most prominent fixed stars - twenty for RAMC conjunctions and oppositions (conj. RAIC) and fourteen for risings and settings. Six of the twenty prominent fixed stars neither rise nor set at moderate northern and southern latitudes. For computation see Tables B and C and the directions for their use.

Besides this they characterize people who became famous or infamous. For instance, ALGOL with good reason, is said to be one of the most destructive, dangerous and fatal stars.

ALGOL conjunct MC or ASC has been found in horoscopes of many murderers, mainly sex maniacs.

ALGOL conjunct MC shows the death of the gifted astrologer KARL ERNST KRAFET. In a concentration camp.

IVAR KREUGER, once a man of immense fame and wealth, committed suicide after he was ruined due to his own illegal acts in stock exchange matters. ALGOL was conjunct IC while ALDEBARAN was conjunct MARS in his Radix horoscope.

ALGOL conjunct SUN can be found in the Chart of the well-known astrologer ELSBETH EBERTIN, who perished in a bombing raid.

As we will see later, Algol is also frequently involved in events where obviously the planet to which it is conjoined gives the answer for the kind of happenings. This also concerns all kinds of incurable illnesses.

In view of these examples shown with Algol and also, of course, with other frequently appearing fixed stars of the 1st order, it seems quite logical that the classification of stars into a) benefic b) malefic and c) neutral gives a better starting point in this field of research than the frequently contradictory combined symbolism (of several planets) of traditional astrology.

To give the reader the possibility to analyze the examples given in this chapter, I have used most of the rectified charts (numbers in brackets) published in *Prediction II*.

Importance and strength of 50 main fixed stars (Tables A.B.C) are classified as follows:

- a) \*\*\* major fixed stars(11) of first magnitude and highest efficacy;
- b) \*\* major fixed stars(11) of first and second magnitude and high efficacy;
- c) \* fixed stars (16) of considerable importance, appearing frequently ;
- d) unclassified fixed stars (12) which showed some noteworthy effectiveness in the writer's analyses.



**EFFECTIVE FINED STRAS DEMONSTRATED ON RADICES OF U.I.P.'s**  
 most of which are published in Prediction 11 (Charts 1 - 15)

(For computation please see TABLE A, B, and C)

JOHN LENNON (1) October 9, 1940; 17h 24m 17s U.T.

(Composer and idolized member of the famous English musical group,  
 'The Beatles')

ALGOL (8) rad., malefic****	25° 20' 31" Taurus
URANUS rad	<u>25° 33' 06" Taurus</u>
difference	12' 35"

Algol precessed for July 15, 1956, death of mother	25° 33' 42" Taurus
	URANUS rad <u>25° 33' 06" Taurus</u>
	ORB 36"

JUPITER rad	13° 41' 33" Taurus
ALMACH rad	<u>13° 24' 01" Taurus</u> (7) benefic
	17' 32"

ALMACH and JUPITER contribute to talent and fame, the Conjunction maturing around the age of 21.

SPICA (33) benefic *** descending	18h 22m 08 s (RAMC : OD +6h)
RAMC rad	<u>18h 25m 02 s</u>
ORB	2m 54s = 43.5"

SPICA for fame and popularity

QUEEN VICTORIA (2) May 24, 1819; 4h 02m 04s U.T.

ALTAIR rad (44) <span style="border: 1px solid black; padding: 2px;">benefic ****</span>	29° Cap 13.6'
MC rad	<u>29° Cap 06'</u>
ORB	7.5'

ALTAIR conjunct MC significant for Queen Victoria's succession to the throne.

**EFFECTIVE FIXED STARS DEMONSTRATED ON RADICES OF U.I.P.'s**  
 most of which are published in Prediction II (Charts 1 - 15)

(For computation please see TABLE A, B, and C)

JOHN LENNON (1) October 9, 1940; 17h 24m 17s U.T.

(Composer and idolized member of the famous English musical group,  
 'The Beatles')

ALGOL (8) rad., malefic***	25° 20' 31" Taurus
URANUS rad	<u>25° 33' 06"</u> Taurus
difference	12' 35"

Algol precessed for July 15, 1956, death of mother	25° 33' 42" Taurus
URANUS rad	<u>25° 33' 06"</u> Taurus
ORB	36"

JUPITER rad	13° 41' 33" Taurus
ALMACH rad	<u>13° 24' 01"</u> Taurus (7) benefic
	17' 32"

ALMACH and JUPITER contribute to talent and fame, the Conjunction maturing around the age of 21.

SPICA (33) benefic *** descending	18h 22m 08 s (RAMC : OD +6h)
RAMC rad	<u>18h 25m 02 s</u>
ORB	2m 54s = 43.5'

SPICA for fame and popularity

QUEEN VICTORIA (2) May 24, 1819; 4h 02m 04s U.T.

ALTAIR rad (44) benefic ***	29° Cap 13.6'
MC rad	<u>29° Cap 06'</u>
ORB	7.6'

ALTAIR conjunct MC significant for Queen Victoria's succession to the throne.

NORTH ASELLUS rad (26), malefic \*      5° Leo 40'  
MARS rad      5° Leo 35'

Fall from a horse, pelvic fracture (see Prediction II, Prim. Dir.)

SATURN d conjunct MARS and N. ASELLUS rad.

By tradition, besides others, N. Asellus is associated with 'injuries by or together with animals'.

MARS/SATURN combinations are very characteristic for falls. (MARS rad in LEO by tradition may be associated with horses).

EDWARD VIII (5) June 23, 1894; 22h 03m 04s U.T.

DENEBO AGIDE (48), neutral \*'      3° Pis 55'      Succession

MOON rad      3° Pis 57'

ALGOL rad (8), malefic\*\*\*\*      24° Tau 42' died from  
VENUS rad      23° Tau 17' larynx cancer

Three cases of cancer of the larynx had been observed with this very same combination. (See the analysis of the writer's Chart, below).

GEORGE VI (6) December 14, 1895; 03h 22m 58s U.T.

AGENA rad (37), benefic \*\*      22° Sco 20.9'  
URANUS rad      22° Sco 07'

Succession to the throne after his brother's resignation. Here URANUS is very characteristic for an unexpected and surprising event.

ALGOL rad (8) \*\*\*\*, malefic, 24° Tau 43' has a close opposition to MOON rad 25° Sco 02'.

No evidence for the effectiveness of aspects other than conjunctions has yet been found, unless a third planet is involved in conjunction with the same fixed star.

Beneficial fixed stars mostly of the 1st order, in conjunction with the Angles, Sun, Moon or the planets, are very frequent in Radices of monarchs. Their succession need not necessarily coincide with the maturation of the fixed stars involved.

EDWARD VII (3) November 9, 1841; 10h 48m 30s U.T.

ACRUX rad (35), benefic **	9° Sco 41.2'
	<u>10° Sco 09'</u>
ORB	28'

<u>AGENA</u> rad (37), benefic **	<u>RA</u>	13h 52m 38s
	<u>RAMC</u>	<u>rad</u>
		14h 01m 46s

PROCYON rad (25), neutral **	setting	<u>13h 59m 31s</u>	(RAMC: 00 + 6h)
	<u>RAMC rad</u>	<u>14h 01m 46s</u>	<u>ORB 2m 15s</u>

All three fixed stars (especially AGENA on RAMC) are significant for Edward VII's. succession to the throne.

GEORGE V (4) June 3, 1865; 0h 55m 57s U.T.

ALHENA rad (20), benefic **	7° Can 13.5'
PARS FORTUNA rad	<u>7° Can 27'</u>
ORB	13.5'

BETELGEUZE rad (17), neutral ***	26° Gem 52.3'
IC rad	25° Gem 46'
JUPITER rad	25° Sag 40'

As BETELGEUZE is a fixed star of the 1st Order and, besides this, Angular and in opposition to Jupiter, it is more qualified for a succession than ALHENA, although its conjunction with PARS FORTUNA is of some significance.

PRINCE WILLIAM (9) June 21, 1982; 20h 02m 08s U.T.(provisional rect.)

ARCTURUS rad (34), benefic \*\*\* 23° 59' 21" Libra  
PLUTO rad 24° 10' Libra

DIRAH rad (19) benefic \* 5° 03' 24" Cancer  
MOON rad (angular) 4° 58' Cancer

AGENA rad (37), benefic \*\* RA 14h 02m 35s  
RAMC rad 14h 00m 12s  
ORB 2m 23s

The shape of Prince William's Radix and the two fixed-star combinations speak for a succession to the throne.

ALGOL rad (8), malefic \*\*\* 25° 55' 23" Taurus  
VENUS rad 25° 40' Taurus  
(See: ALGOL conjunct VENUS, Charts 5 and 16)

BETELGEUZE rad (17), neutral \*\*\* 28° 30' 35" Gemini  
DESCENDANT rad 27° 18' Gemini

This could be another indication for fame.

JOHN F. KENNEDY (10) May 29, 1917; 19h 51m 25m U.T.

CAPULUS rad, malefic (not in the catalogue) 23° 02' 55" Taurus  
JUPITER rad 23° 02' 44" Taurus  
URANUS rad 23° 42' 59" Aquarius

JUPITER precessed at JFK's assassination 23° 41' 41" Taurus

Here URANUS rad in a square to the almost exact conjunction of JUPITER and CAPULUS symbolized the event. (See: Primary Direction for JFK's assassination : ASC d square URANUS)

ELIZABETH II (7) April 21, 1926 ; 1h 12m 48s U.T.

SIRIUS rad (21), benefic \*\*\*

13° 04' 04" Cancer

DESCENDANT rad

13° 23' Cancer

Again a benefic star of the first order as a prospect for the reign of a monarch.

The marriage of Queen Elizabeth II is very impressively symbolized by SIRIUS which, progressed to the date in question, November, 1947, comes to the closest possible conjunction with the DESCENDANT.

SIRIUS precessed 13° 21' 52" Cancer

DESCENDANT rad 13° 23' Cancer

PRINCE CHARLES (8) November 14, 1948; 2h 13m 37s U.T.

SIRIUS rad (21), benefic \*\*\*

13° 22' 37" Cancer

PARS FORTUNA rad

13° 21' Cancer

This conjunction has very much a predictive value, as it is a mundane and supernatural combination for a succession to the throne.

AGENA rad (37), benefic \*\*\*

23° 04' 54" Scorpio

SUN rad

22° 25' 21" Scorpio

47 years and 5 months - April, 1996

39' 33" (Orb)

RONALD REAGAN (12) February 6, 1911 ; 7h 44m 06s U.T.

FOMALHAUT rad (47), benefic \*\*\*  
VENUS rad

2° 36' 30" Pisces  
3° 31' 21" Pisces

ZOSMA rad (30) benefic  
MC rad

10° Virgo 04'  
10° Virgo 01'

RIGEL rad (12), benefic \*\*\*

setting	10h 40m 27s (OD + 6h)
RAMC rad	10h 46m 12s
ORB	5m 45s

These three fixed stars may have contributed to Ronald Reagan's rise.

ALGOL rad (8), malefic \*\*\*  
DESCENDANT rad

24° 55' 44" Taurus  
25° 49.5' Taurus

ALBERT EINSTEIN (15) March 4, 1879; 10h 4m 45s

SIRIUS rad (21), benefic \*\*\*  
ASCENDANT rad

12° 25' Cancer  
11° 35' Cancer

FOMALHAUT (47), benefic \*\*\*\*

RA	22h 50m 59s
RAMC rad	<u>22h 56m 28s</u>
Orb	5m 29s

Both fixed stars are characteristic for success, honours and fame

POLLUX rad (24), malefic \*\*\*  
SUN progr. (Second Dir. with BIJA\*)  
for assassination, November 22, 1963

22° 04' 34" Cancer  
22° 05' 40" Cancer  
ORB 1' 06"

Here the Secondary Progressed SUN, applying the BIJA\*, gives a much closer result than the traditional method.

\*(For BIJA, see: Prediction, Using Common and Prenatal Cycles, page 47).

POLLUX rad as above 22° 04' 34" Cancer, conjunct MC rad 21° 44' Cancer  
MC rad precessed 22° 05' is close to August 2, 1943, when JFK was severely wounded and his warship destroyed.

ALDEBARAN rad (11), neutral \*\*\*  
SUN rad

8° 38' 05" Gemini  
7° 50' Gemini

SUN on the ALDEBARAN/ANTARES axis promises rise, fame and honours. However, as both fixed stars have a strongly aggressive character, JFK's unfortunate destiny may also be associated with it.

PROCYON (25), neutral \*\*

RA 7h 34m 59s  
RAMC rad 7h 33m 56s  
ORB 1m 03s

RICHARD NIXON (11) January 10, 1913; 5h 10m 52s U.T.

FOMALHAUT rad (47), benefic \*\*\*

2° 38' 06" Pisces

VENUS rad

3° 27' 58" Pisces

Re-elected President 1972

ORB 49' 52" = 59 years

ALDEBARAN (11), neutral \*\*\*

RA 4h 30m 56s

RAMC rad

4h 36m 16s

ORB

5m 20s

Already the unprocessed radical positions of these conjunctions are characteristic for Nixon's two presidential terms.



X GENERAL DE GAULLE (rectified, not reproduced)  
(Military leader and former President of France. Died in 1970).  
November 22, 1890; 3h 19m 22s U.T.; 3° E 04' ; 50° N 39'

PROCYON (25), neutral \*\* RA 7h 33m 36s  
RAMC rad 7h 35m 52s  
ORB 2m 16s

Successful in a military and political career.

MAHATMA GANDHI (rectified, not reproduced)  
(Leader of the movement for independence in India. Assassinated in 1948).  
October 2, 1869; 2h 34m 26s U.T.; 69° E 36' ; 21° N 38'

POLLUX rad (24), malefic \*\*\* 21° 25' 09" Cancer  
→ URANUS rad 21° 41' 26" Cancer

A typical conjunction for a sudden, violent death and for fame, as near an Angle (MC).

NORTH SCALE rad (36), neutral \* 17° 33' 16" Scorpio  
MARS rad 18° 24' 01" Scorpio  
VENUS rad 18° 26' 04" Scorpio  
PLUTO rad 17° 39' Taurus

MARS conjunct N. Scale maturing in June, 1930  
May 4, 1930 - January 1931 in gaol

→ THEODORE ROOSEVELT (rectified, not reproduced)  
(U.S. President 1901 - 1909 Died 1919)  
October 28, 1858 ; 0h 50m 33s U.T.; 73° W 57' ; 40° N 45'

FOMALHAUT rad (47), benefic \*\*\* 1° 52' 18" Pisces  
MC rad 2° 48.5' Pisces

As demonstrated above, beneficial fixed stars conjunct MC (IC) or RAMC (RAIC) activate rise and fame.

**BENITO MUSSOLINI** (14) July 29, 1883; 13h 17m 54s U.T.  
 (Fascist Dictator of Italy and ally of Hitler during the Second World War;  
 killed by partisans on 28th April, 1945)

ALDEBARAN (11), neutral ***	8° 10'	Gemini
ANTARES rad (40) malefic ***	8° 08'	Sagittarius
MOON rad	9° 15.5'	Gemini
SATURN rad	7° 34' 06"	Gemini

ALDEBARAN conjunct MOON, by tradition means success and fame but danger of a violent death. If with SATURN, the native is liable to be hanged or killed by a sword thrust.

MUSSOLINI was killed and later hanged in Milano after he had tried to escape to Switzerland in April, 1945.

The axis ALDEBARAN/ANTARES is overactive and (especially with MARS), aggressive.

With JUPITER it can be found in the Radices of successful sportsmen.

DENEbola (31), malefic *	20° 00' 06"	Virgo
URANUS	<u>20° 52' 18"</u>	Virgo
MATURATION of Conjunction 1946, March	52' 12"	
Killed 1945, April	<u>51' 31"</u>	
ORB	41"	

RIGEL (12), benefic **	setting	10h 36m 03s (RAMC of setting OD + 6h)
	RAMC rad	<u>10h 30m 30s</u>
	ORB	5m 33s

RIGEL on MC : rise and fame

NORTH ASELLUS rad (26), malefic  
 NEPTUNE  
 8 years 9 months " January , 1928

6° 24' 54" Leo  
6° 32' 13" Leo  
 7' 19"

June 1928, nearly died, as angina instead of diphtheria had been diagnosed. NEPTUNE characterizes the wrong diagnosis as well as the type of illness. In Medical Astrology diphtheria should be symbolized by MARS/NEPTUNE = INFECTION and VENUS (radical in Taurus) for diphtheria.

ALHENA rad (20), benefic \*\*  
 JUPITER

7° 58' 42" Cancer  
8° 19' 17" Cancer

24 years 7 months 20' 35"

Demobilized from the Eastern front for studies  
November 12, 1943 (exact within 2" of arc)

ALPHERATZ rad (2), benefic  
 MERCURY rad

13° 11' 09" Aries  
 14° 13' 19" Aries

1° 02'

According to tradition Alpheratz supports science and writings.

SIRIUS rad (21), benefic \*\*\*\*  
 rising at the place of birth

1h 57m 14s (RAMC for Rising=  
 OA - 6h)

rising at the permanent  
 place of residence :

2h 04m 06s

RAMC birth place  
 RAMC residence

2h 04m 00s  
 1h 56m 23s

AGENA rad (37), benefic \*\*  
 RAIC residence  
 RAIC birth place

RA (IC) 13h 58m 06s  
 13h 56m 23s  
 14h 04m

REGULUS rad (29), neutral \*\*\*

RA 10h 00m 51s

RAIC rad for Washington

10h 07m 04s

REGULUS on RAMC/RAIC axis if not afflicted : Leadership, successful political career.

SUN trine MC, (Orb 1.5 degrees) supports the significance of FOMALHAUT and REGULUS and gives a good symbolism for Presidency.

CALVIN COOLIDGE (rectified, not reproduced)

(U.S. President 1923 - 1929. Died 1933)

July 4, 1872; 13h 47m 09s U.T.; 72° W 42' ; 43° N 33'

WEGA rad (43), benefic \*\*

descending

3h 50m 42s (RAMC: OD +6h)

RAMC rad

3h 47m 52s

ORB

2m 50s

FRANKLIN ROOSEVELT (rectified, not reproduced)

(U.S. President 1933 - 1945. Died 1945).

January 31, 1882; 0h 54m 28s U.T.; 74° W 00' ; 41° N 45'

ALDEBARAN rad (11), neutral \*\*\*

RA 4h 29m 09s

RAMC rad for Washington

4h 26m 58s

ORB

2m 11s

ALEXANDER MARR (16) April 12, 1919; 12h 11m 14s U.T.

Coordinates of Birth place: 8° E 33.1' ; 47° N 22' 57"

Coordinates of permanent residence: 6° E 38' 49" 49° N 45' 14"

ALGOL rad (8), malefic \*\*\*

25° 02' 38" Taurus

VENUS rad

- 24° 16' 14" Taurus

corresponds to 55 years 4 months = August 18, 1974

46' 24"

Cancer of the larynx diagnosed: December 19, 1973

corresponds to 54 years 8 months

- 45' 50"

ORB

34"

For similar VENUS/ALGOL combinations see: EDWARD VII and PRINCE WILLIAM

RIGEL rad (12), benefic \*\*  
URANUS rad

16° 03' 41" Gemini  
15° 22' 24" Gemini

This conjunction happens to be on the 11th Cusp (House of friends and supporters). Together with the Sign GEMINI and URANUS this may be associated with the United States of America.

CASTOR rad (23), neutral; \*\*  
SUN rad

19° 28' 06" Cancer  
19° 30' 42" Cancer

The Blockade of West Berlin, which was the first probation for the City, shows the maturation of CASTOR conjunct SUN within 8" of arc :

CASTOR precessed  
SUN rad

19° 30' 34" (June 22, 1948)  
19° 30' 42"

This conjunction symbolizes activity, although the SUN is on the 12th Cusp (enemies, deception).

-----

The above analysis of 20 nativities and the Radix of West Berlin produced an overwhelming number of prominent fixed stars (\*\*\*) and \*\* in conjunction with radical factors.

Here are the frequencies and proportions of the classified stars :

55 fixed-star conjunctions in 21 horoscopes.  
Of these 55 conjunctions, 45 involve prominent fixed stars (\*\*\*) and \*\* which, as Table A shows, are only 22 in number.  
Besides this we have only 10 conjunctions with other main fixed stars (\* and unclassified ones). These outnumber the prominent ones by 28 : 22 . This is obviously a proof for the high frequency of the prominent stars.

## FIXED STARS IN MUNDANE ASTROLOGY

Fixed stars have the same effectiveness in mundane astrology as in the demonstrated horoscopes of V.I.P.'s. Unfortunately only very few horoscopes of states exist that have satisfactory authenticated birth times. An example is the rectified horoscope of WEST BERLIN.

According to U.S. files, West Berlin was handed over to United States authorities by the Russians on July 12, 1945, at 6h U.T. The writer, who used to live in Berlin until 1955, has carefully recorded the dates of all the eventful years and produced a reliable rectification which gave: 5h 57m 59s U.T., published in the 'sixties' in German and English journals.

As in most rectified horoscopes of V.I.P.'s (Individuals), the Radix of West Berlin (Chart BLN) shows a remarkable number of effective prominent fixed stars which have no doubt supported the City in a most benefic manner. A glance at the Horoscope shows many afflictions such as: MARS (Taurus, detriment) in close square to the Ascendant and the MOON while JUPITER in Virgo and at a weak point of the Chart, i.e. in the middle of the 2nd House, is not of much help either. These main characteristics and the permanent threat of Soviet Russia encouraged astrologers to predict a very short life for West Berlin.

However, they all have been mistaken. Especially in the horoscopes of states and politicians, the presence of prominent fixed stars in conjunction mainly with Angles, Sun and Moon produce Fate in the pure sense. The Radix of West Berlin is one of the examples where benevolent fixed stars have activated this critical but extrovert and vital Chart. (All planets on the East side of the Horoscope).

Close conjunctions of fixed stars with main characteristic factors in the Radix of WEST BERLIN:

SIRIUS rad (21), benefic \*\*\*

rising	2h 14m 42s (OA - 6h)
RAMC rad	<u>2h 10m 12s</u>
ORB	<u>4m 30s</u>



Here is a list of stars which took the lead in the analysis :

	1st magnitude	5 cases
ALGOL (8) ***	.	5 .
AGENA (37) ***	.	5 .
SIRIUS (21) ***	.	5 .
ALDEBARAN (11) ****	.	4 .
FOMALHAUT (47) ****	.	4 .
BETELGEUZE (3) ***	.	3 .
PROCYON (25) **	.	3 .

It has been found that the effectiveness of these brilliant stars of 1st magnitude does not depend on their relation to the Ecliptic, as those with high latitudes are of the same efficacy as stars near the Ecliptic. It appears to be different with the main stars of 3rd magnitude. Here stars with almost no latitude, i.e. on the Ecliptic, appear more frequently and with much stronger effect than those whose positions are very remote from the Tropical Zodiac (Ecliptic).



## HOW EXACT MUST WE BE ?

The rectification of a birth chart has always been a major problem for serious astrologers. Published horoscopes in today's textbooks and journals clearly indicate that: no general progress has been achieved in this matter, with very few exceptions.

These failures have two main causes :

1. Fictional astrological methods have been used. (See chapter above)
2. Coincidence, probably the most important factor in the development of astrological research, has itself become the main obstacle against improved methods of rectification.

In chemistry, physics and most other sciences provable results may be achieved with impressive experiments and public demonstrations. Things are, however, very different in astrology. Only statistical proofs which demonstrate the high probability of a meaningful astrological coincidence occurring (the appropriate event coinciding with the appropriate astrological predicting factor) are valid if we are to prove the effectiveness of astrology and obtain for it the recognition it so richly deserves. We have to be able to demonstrate that the results we obtain could not have occurred simply by chance.

In all applications of astrology that are based on solid astronomical grounds, it is strongly recommended that calculations should be made correct to a minute of arc and a second in time. Whole degrees and whole minutes in time should, of course, be used for simplified cycle calculations, and for those charts for which the birth time has not yet been fully authenticated. These exceptions apart, the rectifying astrologer's calculations should necessarily be as accurate and as tight as is possible.

Let us see why such exact measurement is necessary.

Although the full circle of the Zodiac contains 21,600 minutes of arc ( $360^\circ \times 60'$ ), astrologers are frequently tempted to overload this area with far too many Ecliptic points. Those who use combinations of three planets such as 'Sun + Mars - Uranus', are the main culprits.

A simple test with the orbs of aspects produced by Primary Directions and applied to the Radix will demonstrate just how fast the seemingly large area of 21,600 arc minutes can be exhausted and how soon meaningful coincidence becomes indistinguishable from simple chance.

## PLANETS AND CUSPS DIRECTED TO RADICAL FIXED STARS

The predictonal value of these fixed-star conjunctions in the Primary Directional system is limited, because they can only be regarded as a support of characteristic angular and planetary Directions. Nevertheless careful analyses of these frequently appearing fixed-star Directions, helped to establish their character, importance and frequency. Here, as the result of precise radical figures, a maximum orb of 1' of arc is found to be valid. Due mainly to inaccuracies of the coordinates and some times of the rectified RAMC, the orb may be extended to 3' of arc.

In view of their frequency and efficacy, and to limit the number of fictions, only prominent fixed stars of the first and second order (\*\*\*) and \*\*) should be used. I advise the reader to use only direct and converse radical factors to Ecliptical positions of the fixed stars. Here too only conjunctions are effective. The Directing of fixed stars to radical factors (Speculum: OA; OD; Pole) is still a matter of careful research. The writer achieved some good results in his own Radix and in the Radices of relatives and friends, when directing prominent fixed stars to other radical factors in the Primary Directional system. Successful research in this subject presupposes the accurate recording of events.

EXAMPLE : RADIX ADOLF HITLER (Prediction II, Chart 13)  
EVENT: Beginning of World War II, September 1, 1939  
Main Primary Direction : PARS FORTUNA c conjunct MARS rad  
(Orb 2')  
PLUTO d conjunct CANOPUS (neutral;\*\*) exact  
SUN d conjunct ALDEBARAN (neutral;\*\*\*\*) 4'  
(SUN d opposite ANTARES (malefic;\*\*\*\*) 2.5')  
XI d conjunct ARCTURUS (benefic;\*\*\*\*) exact

In general, true Directions, *using the correct symbolism* of the astrological factors involved, should not exceed an orb of four minutes of arc. The theoretical orb is 2.5' of arc (See Prediction II). In practice, depending on the appropriateness of the factors involved and the exactness of the coordinates, the aspectual orbs may become larger.

The maximum admissible orb of up to 4' of arc, in theory and practice, results in an admissible average orb of two minutes of arc.

Needless to say, for the experienced astrologer the odds against chance coincidence are substantially increased if the accepted Directions are limited solely to those planets and House cusps whose symbolism fits the specific event.

A correct statistical test of the validity of Primary Directions can only be performed by a skillful and experienced statistician, taking into consideration all appearing directions without paying regard to the character of the event and to the appropriate symbolism of the planets. (Accumulations of Directions - odds against chance).

As the proportional division of the 21,600' of arc clearly shows, the introduction of additional factors into any Directional system will diminish any chance of obtaining valid results.

In recent years I have met a few astrologers who, although not quite mastering the subject, are on the right way to become experienced astrologers in this field. On the other hand, as my subsequent checking clearly showed, I met others who obtained incorrect results throughout.

Invariably the reason for these failures was not the use of too large an orb for the Directions, but was either :

1. A too generous application of symbolism to planets, Angles or House Cusps ; or

2. A too extended application of aspects : using such as 15°, 75°, 105° and 165° aspects, Directing House cusps to aspects with other (radical) House Cusps, etc.

3. The most frequent error however was the fact that these unexperienced astrologers did not realize that Angular and cusp Directions should reflect the events in an adequate proportion (sufficient in number). This latter is an undoubted proof for any rectification with Primary Directions in the Topocentric System, provided that a sufficient number of events is available.

When we consider an aspect by Direction, we must recognize the possibility of it occurring from either of two directions, clockwise or anticlockwise, hence the basic factor for our analysis of aspectual orbs shrinks from 21.600' to 10.800' of arc (21.600/2). We can therefore say that the Direction of one planet to its conjunction with a single radical planet, within an orb of 1' of arc, has a theoretical coincidence factor of : 1 / 10.800. In other words, where there just one radical and only one directed factor existing in the Zodiac, an event that coincided with such a tight conjunction of these two bodies would provide odds of 10.800 to 1 in our favour that the coincidence was not just a chance happening.

Such odds may seem quite encouraging to the researcher, but let us now apply this theoretical probability to the real world in which we operate. As the following proportions clearly show, in reality the coincidence factor with which we actually must work diminishes far too quickly.

1 planet conjunct	1 planet	: odds are	10.800 / 1, as noted ;
2 planets	1 planet	: " "	5.400 / 1;
10 " "	1 " "	: " "	1.080 / 1;
10 " "	10 planets	: " "	108 / 1

Now let us also take the sixteen traditional aspects into consideration : the conjunction and opposition, two squares, two trines, two sextiles, two semisquares, two sesquiquadrates, two semisextiles and the two quincunx'.

These sixteen aspect points further reduce our coincidence factor down to 108 / 16 or 6,75 to 1. Expressed differently, if one directs ten bodies to ten natal bodies and uses the sixteen above stated aspects, there is likely to result at least one exact directional aspect within an orb of 6.75 minutes of arc, simply due to chance alone. If we include the converse Directions this figure will even be reduced to 3.4' of arc (6.75 / 2).

Apply the same logic for the twelve house cusps directed to the ten natal planets. The coincidence factor is 7.5 to one, converses included even 3.8 to one (7.5 / 2). Naturally we obtain the same result if, vice versa, we direct the ten planets to the twelve radical House cusps.

The coincidence factors given above are necessarily approximations. We do not usually direct a planet to its own position, e.g. Mars to Mars. But on the other hand we have not taken the Part of Fortune and the Mean Lunar Node into consideration, and both of these points are extremely important factors in the Radix and in Directions.

The use of individualistic points such as MC and ASC with small orbs is not impressive either, as so far I have not found any Radices which had been satisfactorily rectified. (This is in Uranian textbooks and journals).

b) The computer showed that the accumulations of structures in Radices cannot be properly controlled as they are continuously overlapping.

An error in logic also appears when we notice that Uranian astrologers concentrate only on those combinations which they happen to need for the characteristics of the event. What happens with the other 5000 combinations at any time in any Radix for any event ?

In contrast with this the reader is reminded that in traditional astrology, for logical reasons, we examine all traditional aspects to the Radix that appear in transits as well as in Directions.

The writer also noticed a great deal of false symbolism in one of the leading textbooks on Uranian Astrology. -'Regelwerk für Planetenbilder' - 'Rules for Planetary Structures

It takes too much space to enumerate all the wrong symbolism and other obviously fictional assumptions in this book: Here is one example :

MOON plus MARS is symbolized as :

'The workings of the brain; the beloved woman; the energetic woman; working hours'.

However, my criticism is not, as it seems, only against the Uranian System. The same abuse and misuse of astrological factors also appears in other systems. Here the abuse of midpoints dominates. Traditional methods, if not handled properly, give no better results either, as wrong application of astrological symbolism frequently occurs.

The fundamental problem in astrology (the real starting point) has been solved in theory and practice by RECTIFICATION, but it lacks a sufficient number of talented and experienced astrologers.

## FICTIONS IN ASTROLOGY

The Directional systems which follow have been analyzed by the writer in the seventies with the aid of a large IBM computer. About 200 events have been computed with thousands of midpoints and triple combinations. This was done with much generosity towards orbs and symbolism of the planets.

The following may be regarded as fictions in Astrology:

1. The Solar-arc in the Ecliptic, also called the Symbolic Arc.
2. The Uranian System using hypothetical Trans-Neptunian points on or near the Ecliptic, in connection with No. 1 and also in the Transit System.
3. The excessive, uncontrolled use of midpoints in Directions and transits.

The methods in No. 2 vary slightly, however, about 5430 triple combinations were noticed, which, if used only in conjunctions, give the following proportions on the Zodiac:

$360 \times 60 = 21600'$  of arc, divided by 5430 =  $4'$  approximately, i.e. there are 5430 points on the Zodiac (whole circle) with orbs of plus/minus  $2'$  of arc (average).

These figures may be extended 'ad absurdum' if this technique is reduced to a 90 - , 45 - or 22.5 wheel measurement.

No wonder that whatever technique is applied, up to 15 and more midpoint combinations can be produced at any time for any event in any Radix with 'small orbs' and a more or less satisfying symbolism.

Followers of this Uranian System maintain that their results are controlled by so-called planetary structures which, as they claim, appear in the Radix as accumulations. The writer has analyzed these planetary structures (accumulations) and found that they are:

a) Not individualistic, as in the overwhelming number of cases, they are connected with either slow planets or even much more slowly moving hypothetical points which are almost the same in the Radices of individuals born within time periods of days up to months.

Considering the amount of fictional productions in astrology found in textbooks, articles in journals and teachings of inexperienced astrologers, compared with the relatively small number of talented and experienced astrologers, there might be a long way for astrology to go before it is recognized and established the way it was centuries ago (this in relation to the general development of sciences in those times and nowadays). There is no doubt that astrology can be brought to perfection in the same way as has happened to other branches of science.

Further developments in astrology might also one day start to decisively influence philosophy and also religion. Other matters which are still considered as magic, belief, etc., may one day be acknowledged or rejected by modern observation methods and statistics.

The writer is sure that all those things that are still unknown, will one day be successfully analyzed. This is not a matter of fantasy or belief but corresponds to the fantastic and (centuries ago) unforeseen development of all sciences, many of which had been brought to the utmost degree of perfection humanly possible. For such a development of astrology to occur, however, we need more people who have a scientific mind, do not regard astrology as a belief system, and show perseverance and a realistic approach to the matter.

THOMAS A. EDISON, one of the greatest inventors of our times who was once asked how he managed to invent hundreds of things with, as it seemed, little effort, answered: 'You are mistaken, all my inventions are based on 99 per cent perspiration and 1 per cent inspiration .

## CONCLUDING REMARKS

Advanced research in astrology demonstrated in Prediction II and in this book, has undoubtedly revealed that astrology practised in a serious and reasonable way is based on scientific grounds. Astrological efficacy, as appearing in Topocentric Primary Directions and in the Meridian Distances measured in Oblique Ascension and Descension (also used as Ascensional Transits), is apparent enough to be statistically evaluated.

The writer has studied the main principles of statistics and found that, although a more simplified statistical application gives very impressive results, a faultless statistical demonstration needs a fully-qualified statistician with much experience. That is to say, even very skilful statistical analyses have aroused criticism and rejection. This because of unimportant errors which do not change the actual result of the analysis.

Besides such a statistical approach to matters of astrology, it is also necessary to have a neutral board of scientists, who may give the experienced astrologer certain tasks and problems to be solved.

One of the acid proofs for the full scientific value of an approved astrological system are MDO's (Prediction II). These prove that in an overwhelming number of cases, relatives in direct line ( grand-parents, parents, children ) have identical Meridian Distances in OA and OD, the latter appearing mostly in conjunctions and to a lesser extent in oppositions and Antiscions.

In Prediction II a list shows that all English Monarchs from Queen Victoria continuously to Queen Elizabeth II have these identical MDO's in their Radices.

Needless to say, these Horoscopes have been properly rectified as the demonstrated events and Directions show.

The same scientific validity can also be found in Ascensional Transits and Primary Directions (Prediction II), particularly in the DUAL-TEST (Primary Directions of the Radix and the Prenatal Epoch (Conception-Horoscope) described in this book). Here again I remind the reader of those mostly non-astronomical systems which ignore the natural rules of coincidence and which, in practice, achieve just an opposite, i.e. more or less meaningless results which will fit in any existing or non-existing birth chart for any event and any date. (See under 'Fictions in Astrology' in this book).



## APPENDICES.

9/39

7/10/4

8.58.  
22.4

- EDWARD KENNEDY -

Events - Primary- and Secondary Directions

1. OPERATION (Tonsilles)

October 3, 1938

XII c 45 SA ex R - R\*\*  
MA c 150 JU 3' R - E\*\*  
AS d 60 SA 5' E - R\*\*  
UR c 0<sup>2</sup> VE 3' E - R\*\*  
VE p 90 PL 1' R - R\*\*  
SU re 45 AS 6' R - R\*

VE p 180 AS 6' E - E\*\*  
(VE p. 24<sup>2</sup> Tau 20' conj). ALGOL)  
XII p 120 MA 4' R - E\*\*  
MA p 150 SA ex E - R\*\*  
XII re 120 MA 4' E - R\*\*  
XII re 45 SA 6' R - R\*\*

2. BROTHER DIED (Plane crash)

August 12, 1944

UR c 45 ME 2' R - E\*\*  
IC d 60 PL 1' R - E\*  
DS d 45 PL 2' E - E\*  
NE p 180 MO 4' R - R

PL c 120 MC 3' E - R\*  
III d 90 VE ex E - E\*\*  
III p 90 PL 7' R - R\*\*  
III re 45 NE 6' E - E\*\*

3. SISTER DIED (Plane crash)

May 13, 1948

IC c 90 PL 2' R - R\*\*  
PL d 90 IC 4' E - R\*\*  
XII c 90 NE ex R - R  
VIII d 180 MO 4' E - E\*\*

SA p 0<sup>2</sup> III 1' R - R\*\*  
IC re 90 PL 2' R - R\*  
VE re 45 IC 4' R - R\*\*  
MA re 90 ME 5' E - E

4. ENLISTED IN ARMY

June 15, 1951

MA c 45 XII 2' R - R\*\*  
MC d 90 MA 1' R - E\*\*  
MC c 90 ME 6' E - E\*

MA p 0<sup>2</sup> NE 1' E - R\*\*  
MO p 60 PL 2' R - R  
MC p 45 JU 3' E - R

5. MARRIAGE

November 29, 1959

VE c 0<sup>2</sup> IC 3' R - E\*\*  
SU d 120 MO 4' E - R\*\*  
AS c 120 SU 2' E - R\*  
JU c 30 DS ex E - E\*\*  
SU p 60 V 6' R - R\*\*

AS p 120 SU 1' R - E\*  
AS re 120 JU 1' R - R\*\*  
DS p 120 AN 5' R - E\*\*  
JU re 60 VE 3' E - E\*\*

6. SHAKEN IN DEBATE

September 1, 1962

III c 0' ME 4' R - R\*\*  
MO c 180 III 2' R - E\*\*  
UR c 90 SU 2' R - E  
MC d 90 NE 4' R - R\*  
AS d 90 ME ex R - E\*\*

MO p 90 SA 6' (3d) R - E\*  
NE p 150 III 2' R - R\*\*  
AS p 150 PL 2' E - R\*  
MO re 180 ME 4' E - E\*\*  
SU p 150 NE 3' R - E

29 11.58

8/10 2/60

8/10 9/61

# The Dual Test

demonstrated on the radices of:

*Edward Kennedy and Juan G. Peron*

with Primary- and Secondary Directions in the Topocentric System.

(See 'Dual -Test Rectification', page 52)

## Symbols and Abbreviations

House Cusps and Planets of the Radix directed to Factors of the Radix  
R - R

Radical factors to factors of the Prenatal Epoch  
R - E

Factors of the Epoch to factors of the Epoch  
E - E

Factors of the Epoch to factors of the Radix  
E - R

**For Primary directions :** d - direct ; c - converse  
(Using the Naibod key 59° 08.33" per year See PREDICTION II, page 111-118)

**For Secondary Directions:** p - progressed ; re - regressed  
(Using the Solar Arc in Right-Ascension for House-Directions.  
See PREDICTION II, page 53-59)

**ASPECTS:** 0° - Conjunction ; 180 - Opposition ; 90 - Square ; 120 - Trine ;  
60 - Sextile ; 45 - Semisquare ; 135 - Sesquiquadrate ;  
150 - Quincunx ; 30 - Semisextile ;

SU = SUN	UR = URANUS
MO = MOON	NE = NEPTUNE
ME = MERCURY	PL = PLUTO
VE = VENUS	AN = ASCENDING NODE
MA = MARS	DN = DESCENDING NODE
JU = JUPITER	MC = MEDIUM COELI
SA = SATURN	AS = ASCENDANT
	DS = DESCENDANT

**The Orbs** are given in minutes of arc (round figures).  
ex - exact; under 1' of arc.

- JUAN G. PERON -

Events - Primary - and Secondary Directions

**1. DEATH OF FATHER**

November 10, 1928

MC c 90 SU 2' R - R**	VIII re 45 MA 4' E - E**
MC d 90 SU 4' E - E**	SU p 150 VIII 4' E - E**
SU d 0 <sup>o</sup> IC 2' E - R**	MA p 0 <sup>o</sup> PF 8' E - E**
VIII c 135 SA 7' E - E**	MO p 90 PL 7'(4d) E - R**
SU re 90 PL 5' R - R**	ME p 90 PL 6' E - E*
ME d 180 PL 2' R - R*	UR p 180 PF 1' E - E**

**2. 2nd MARRIAGE**

October 22, 1945

VE d 120 IC 6' R - E**	DS re 60 <sup>120</sup> JU 5' R - R**
SU d 120 AN 3' E - E*	MO re 0 <sup>o</sup> JU 5'(3d) E - R**
IX c 0 <sup>o</sup> MO 5' R - E	SU p 120 ME 1' E - R*
MO d 120 UR 4' R - R*	V re 30 AN 1' E - R**
	MO p 60 PL 1' E - E*

**3. ELECTED PRESIDENT**

February 24, 1946

MC c 0 <sup>o</sup> JU 8' R - E**	ME d 180 JU 5' R - E*
MC d 30 ME ex R - R**	AN c 60 UR 3' R - R*
UR d 60 ME 4' E - R*	MC p 30 ME 3' R - R*
XI p 30 SU 4' R - R	MA p 30 JU 3' E - E*

**4. DEATH OF EMILY**

July 26, 1952

MA d 0 <sup>o</sup> DE 1' E - E**	VE d 0 <sup>o</sup> UR 2' R - E**
V c 90 MA 4' R - R**	MO c 90 PL 4' R - R**
PF c 0 <sup>o</sup> MO 3' R - R*	UR p 180 PF 1' E - E*
SA p 150 MO ex E - R**	UR re 150 V ex E - E**
VIII (re) 80 SA 3' R - E**	SA re 120 VIII ex E - R**

**5. DEATH OF HIS SECRETARY**

April 9, 1953

AN d 90 IC 4' R - R**	DS d 90 UR 6' E - E**
MA re 90 VIII 2' E - E**	UR p 180 PF ex E - E**

**6. DEATH OF MOTHER**

May 30, 1953

VIII d 90 PL 3' E - R**	VE d 45 MA ex E - E**
NE d 90 SA 1' E - R*	AS d 180 PF 2' R - R
ME c 0 <sup>o</sup> UR 2' E - E	ME d 150 JU 4' R - R
VE d 180 PF 3' R - E	MO p 0 <sup>o</sup> PF 1'(1d) E - R**
VIII p 90 NE 1' E - E**	IC p 90 SU ex R - E*

7. BROTHER ASSASSINATED

November 22, 1963

SA d 02	MA 5'	E - R**	MO(re) 90	III 2'	R - R*
AS d 150	PL ex	R - E*	MO re 90	SA 7'	E - R*
MA d 150	SU 4'	E - R*	NE p 150	III ex	R - R**
DN d 02	MC 3'	R - R**	ME p 90	SA 2'	R - E**
SU re 45 VIII 5' E - E**					

8. PLANE CRASH

June (15), 1964

UR d 02	ME 1'	E - E**	SU re 02	SA 1'	R - R*
NE d 45	AS ex	E - E	ME p 02	PL 1'	E - R*
AS d 150	PL 5'	R - R**	IX re 120	MA 3'	R - E*
SA c 90	DN ex	R - R*	UR re 120	JU ex	R - R**
(death of relatives or friends?)			(lucky escape)		

9. BROTHER ASSASSINATED

June 6, 1968

DN c 02	NE 5'	E - R**	MA p 135	III 4'	E - E**
NE c 45	SU 4'	E - E	SA re 135	MC 6'	E - E*
MC c 150	ME ex	R - R**	SAP 150	NE ex	R - E*
XII p 02 SA 4' R - E					

10. YOUNG WOMAN DROWNED

July 19, 1969

DS d 180	MA 8'	R - R**	MC re 90	SU 1'	R - E*(loss of prestige)
MA d 135	MO 2'	R - R**	VIII re 180	MO 3'	R - E**
VIII d 180	UR 4'	R - R**	IC p 150	MO 3'	R - E**
MC c 180	NO 4'	R - R**	MA re 150	IC 3'	E - E
PL d 150	VE 1'	R - R**	XII re 150	UR 1'	R - E

11. FATHER DIED

November 4, 1969

MC d 90	PL 3'	E - E**	MA p 180	DN 1'	R - R**
DN c 45	JU 5'	E - E*	SU re 45	NE ex	E - E
JU d 90	AS 1'	R - R*	MC p 45	MO 6'	E - R*
PL c 60 JU 7' R - R*(inheritance?)					

12. ELECTED SENATOR

November 6, 1962

MO c 180	III 3'	R - E**	VE p 02	PF 5'	E - E**
ME d 02	SU 1'	E - E**	SU re 02	III 1'	R - E**
MC re 30	MO ex	E - R	DS p 30	JU 5'	E - E*
UR re 120	JU 2'	R - R*	MO p 120	II ex	R - E
IX p 02 MC 3' E - E (effective House conj. with MC-IC)					

R-R : Primary 6 }  
 secondary 3 }  
 12 years 11

# Computation of Fixed Stars

## Directions for Use

**NATURE** : B = benefic ; M = malefic ; N = neutral

**VARIATION** : per year in decimals of 1' of arc

### Interpolation for given dates

**Always use the nearest table value as a base (1920, 1950 or 1980)**

**EXAMPLE A** John LENNON; October 9, 1940 published in Prediction 11

1. Using the Day-Number-Tables (TABLES E)

1950 January 1    **54787**

1940 October 9    **51116**

$$3371 / 365.24(\text{Trop. year}) = 9.23$$

$$9.23 \times 0.836 (\text{Variation Algol}) = 7' 43''$$

Algol (8) 1950 25° 28' 14" Taurus

- 7' 43"

25° 20' 31" Taurus = Algol, Radix John Lennon

2. Using Interpolation Tables : ( m = months ; d = days)

1m = 0.083

7m = 0.583

ADD TO THE FINAL RESULT

2m = 0.167

8m = 0.667

8d = 1"

3m = 0.25

9m = 0.75

16d = 2"

4m = 0.333

10m = 0.833

23d = 3"

5m = 0.417

11m = 0.917

31d = 4"

6m = 0.5

12m = 1(year)

1950 01 01    9 + 0.167 = 9.167 x 0.836 = 7' 40" + 3" (for 22d)

1940 10 09

- 9y 2m 22d    = - 7' 43"

For years before 1920 subtract ; for years after 1980 add

1920 01 01    **43829**

1819 05 05    **07083** (Radix Queen Victoria)

minus    **36746 / 365.24 = minus 100.61**

R-R

PF ⊙

ASC & PF

**7. DEATH OF BROTHER**

January 12, 1955

MA d 45 SA 3' R - R**	XII c 90 ME 1' R - R*
ME c, 150 MO 5' R - R*	MA re 90 III 2' E - R*
MA c 90 UR 5' E - R**	VIII re 0° MA 7' R - E** ←
MO p 150 III 2' E - E	NE p 150 ME ex E - E

**8. REVOLUTION (He left the country) September 16, 1955**

III d 90 NE 6' R - R**	SU c 0° UR 5' E - E**
III d 180 VE 4' R - R**	JU c 90 AN 5' R - R**
III d 120 UR 2' R - R**	III p 120 UR 4' R - R** ←
NE c 90 JU 3' E - E**	UR p 180 PF 2' E - E**
	MA re 90 III 4' E - R**

**9. 3rd MARRIAGE**

November 15, 1961

DS d 0° JU 1' R - R**	VE c 30 JU ex R - R**
MC c 120 SU 3' R - R*	SU c 0° MO 6' E - E**
MC c 0° MO 6' E - E**	MO c 120 JU 3' R - E**
AS c p 120 MO 5' R - R*	MO re 60 V ex R - R**

**10. FIRST RETURN TO ARGENTINA**

November 14, 1972

(unfortunate, had to leave again soon after his arrival; enemies; intrigues of authorities)

ME d 0° III 3' R - R**	XII d 90 SU 3' R - R**
ME d 180 IX 3' R - R**	SA d 135 PL 1' R - E*
MO c 0° IX 4' R - E**	SU d 150 MO ex R - R**
AS c 45 ME 3' E - R*	AN p 90 MO ex R - R*
	UR re 90 III (IX) 2' E - E**

**11. FINAL RETURN (successful)**

June 20, 1973

AS d 120 JU 1' R - R**	AN d 0° DS ex R - R
SU p 60 MO 4' E - R**	SU p 120 MA 3' R - E
SU p 120 AS 2' E - R	VE re 30 IX 1' R - E
AS re 30 SU 3' E - R**	MC p 120 AN ex R - R* ←

**12. WIN IN ELECTIONS**

September 23, 1973

III d 120 JU 2' R - R**	VE c 120 AN 3' E - R*
VE d 120 AS 6' E - R**	AS p 30 SU 6' R - E* ←
III re 60 VE ex E - E	ME re 60 III ex E - R**

**13. DEATH**

July 1, 1974

PF d 0° SU 4' R - R**	MO d 150 IC 3' R - E*
UR c 90 MA 4' R - E**	SU re 0° PF 3' R - R**
MO re 90 SU ex E - R**	DN p 90 AS 1' R - R*

\*\* (Old-aged people often die with an ANGLE conjunct or square SUN. In our case it is the PART of FORTUNE which appears twice in conjunction with the SUN)

10 p 0 5 p ex E - E

**TABLE A** (Directions for Use continued)

**Example C: Processing radical planets in Longitude**

Radix as above	ALMACH rad	13° 24' 01" Taurus
	SATURN rad	<u>13° 12' 53" Taurus</u>
	difference	11' 08"

a) Precision method with the aid of STAHL's Vernal Point Ephemeris

V. P. Radix Lennon	6° 05' 10" (October 9, 1940)
	<u>- 11' 08"</u>

SATURN precessed 5° 54' 02" = November 2, 1953  
to ALMACH

or:

b) 11' 08" / 50.24 = 13.3 years (average precession per year = 50.24")

Radix (J. Lennon)	1940y 10m 09d
Precession in y/m/d	<u>13y 03m 18d (13.3 years)</u>
Date of maturation	1954 01 27 (Jan. 27, 1954)

As precession varies considerably, using method (b), inaccuracies may be considerable.

Result b) 1954 01 27

Result a) 1953 11 02 (precision method)

difference 2m25d The inaccuracy is here as much as  
2 months and 25 days.

**Example D: Processing a planet for a given date**

Date of event July 15, 1956	V.P. 5° 51' 43"
-----------------------------	-----------------

Radix October 9, 1940	<u>V.P. 6° 05' 10"</u>
-----------------------	------------------------

Precession for all radical	plus 13' 27"
----------------------------	--------------

factors except fixed stars	*****
----------------------------	-------

As can be seen there are various methods of computation for which, however, a calculator with °, ', " of arc facilities is indispensable.



**TABLE A** (Directions for Use continued)

**Example B : Maturation of Fixed Star conjunctions**

URANUS rad 25° 33' 06" Taurus (Radix J. Lennon)  
ALGOL rad 25° 20' 31" Taurus (computed above)  
difference 12' 35" ( equals about 15 years in precession)

1956 07 15 Death of mother

1940 10 09 Radix

$$15y 9m 6d = 15.75 \times 0.836 = 13' 10" + 1" = 13' 11"$$

ALGOL rad 25° 20' 31"

+ 13' 11"

ALGOL event 25° 33' 42"

URANUS rad 25° 33' 06"

Orb 36"

By experience a maximal orb of 1 year = 50" is suggested. However, in practice due to imperfect planetary positions, larger orbs may be admitted. It is recommended that Astronomical Ephemerides or computer-precision programs are used.

**RULE A** (example above)

In cases where the planet has a greater radical position than the fixed star, the maturation of their conjunction is produced by the precessed position of the fixed star.

**RULE B** (example below)

In cases where the planet has a lesser radical position than the fixed star, the maturation of their conjunction is produced by precession of the planet.

### Computation

Radix Alexander Marr (16) April 12, 1919 ; RAMC = 2h 04m = 31° 00'  
 A glance at Table C shows SIRIUS rising at 2h 06m 27s in 1950,  
 50° of Northern Latitude. An exact answer, however, as to whether SIRIUS  
 is rising in the Radix or not can only be achieved by computing the figures  
 with the aid of Table B. <sup>1</sup>

SIRIUS (21), benefic of first order (\*\*\*)

1950 01 01 RA	= 6h 42m 56.7s ;	DECL. = - 16° 38' 47"
1920 01 01 RA	= <u>6h 41m 37.5s</u>	DECL. = <u>- 16° 36' 20"</u>
difference in 30y	= 1m 19.2s ;	- 2' 27"

Taking 1920 as the nearest Table value for the birth date we get the  
 difference in years as explained above.

1920 01 01	
<u>1919 04 12</u>	
- 8m 19d	= - 0.7205y (Instructions for Table A)

1m 19.2s / 30 x -0.7205 = - 1.9s  
 - 2' 27" / 30 x -0.7205 = • 3.5" of arc

6h 41m 37.5s	- 16° 36' 20"
<u>- 1.9s</u>	• <u>3.5"</u>
6h 41m 35.6s	<u>- 16° 36' 16.5"</u>
x 15 =	=====
<u>100° 23' 54" in arc</u>	
-----	

Formula for the Ascensional Difference (AD) :

$$\text{TAN LAT} \times \text{TAN DECL} = \text{SIN AD}$$

$$\text{TAN } 47^{\circ} 22' 57" \times \text{TAN } (- 16^{\circ} 36' 16.5") = \text{SIN } \underline{\underline{- 18^{\circ} 54' 38"}}$$

(North. Lat.)

As the AD is subtractive for risings (OA) and additive for settings (OD)  
 we get : - (- 18° 54' 38") = plus 18° 54' 38"

## COMPUTATION OF FIXED STARS IN RA (for RAMC and RAIC)

**Example :** Radix PRINCE WILLIAM (9) RAMC = 14h 00m 12s = 210° 03'

AGENA (37) RA 1980	14h 02m 24s
RA 1950	<u>14h 00m 16.5s</u>
difference	2m 07.5 / 30 = 4.25s

BIRTH 1982 06 21	
<u>1980 01 01</u>	(appropriate year)
2y 5m 20d	2.
5m	.4166
20d	<u>0547</u>
	2.4713 diff. in decimals
	(see instructions for TABLE A)

4.25 x 2.4713 = 10.5s + 14h 02m 24s = 14h 02m 34.5s

AGENA conjunct	<u>RAMC rad</u>	Orb	=	<u>14h 00m 12s</u>
			=	2m 22.5s
			=	<b>35.5' of arc</b>
				-----

## RIISING AND SETTING OF RADICAL FIXED STARS (Tables B and C)

As for the computation of RAMC (RAIC), TABLE C merely has the task of detecting ascending or descending fixed stars in the horoscopes analyzed. In these tables all values have been referred to the RAMC.

**EXAMPLE :** In Table C 1950 (January 1) SPICA (33) is rising at 7h 48m 05s (30 N.L.) = 117° 01' in arc.

In fact the actual rising took place at 117° 01' + 90° = 207° 01'.

In other words, the RAMC of a Radix is valid for all figures in the Tables without adding 90° for risings and deducting 90° for settings. This should not be forgotten when, as in the following examples, rising and setting is computed with the aid of Table B.

**TABLE A**  
50 Main Fixed Stars in Longitude  
For 1920, 1950 and 1980  
(January 1)



TABLE A (2)

NR	NAME	NATURE	1920	1950
26	N.ASELLUS*	M	6 Leo 25'25"	6 Leo 50'29"
27	S.ASELLUS*	M	7 Leo 36'14"	8 Leo 01'23"
28	ALPHARD*	N	26 Leo 10'00"	26 Leo 35'01"
29	REGULUS***	N	28 Leo 43'02"	29 Leo 08'03"
30	ZOSMA	B	10 Vir 11'34"	10 Vir 36'50"
31	DENEbola*	M	20 Vir 30'26"	20 Vir 55'24"
32	VINDEMATRIX	M	8 Lib 49'34"	9 Lib 14'37"
33	SPICA***	B	22 Lib 43'30"	23 Lib 08'36"
34	ARCTURUS***	B	23 Lib 07'02"	23 Lib 32'08"
35	ACRUX**	B	10 Sco 45'50"	11 Sco 10'42"
36	N.SCALE*	N	18 Sco 15'20"	18 Sco 40'26"
37	AGENA**	B	22 Sco 40'50"	23 Sco 05'50"
38	BUNGULA**	B	28 Sco 28'26"	28 Sco 51'04"
39	GRAFFIAS	M	2 Sag 04'21"	2 Sag 29'29"
40	ANTARES***	M	8 Sag 38'43"	9 Sag 03'51"
41	RASALHAGUE	N	21 Sag 19'38"	21 Sag 44'51"
42	PELAGUS*	B	11 Cap 16'03"	11 Cap 41'12"
43	WEGA**	B	14 Cap 11'40"	14 Cap 36'53"
44	ALTAIR***	N	0 Aqu 39'49"	1 Aqu 04'13"
45	NASHIRA	B	20 Aqu 40'09"	21 Aqu 05'23"
46	SADALSUND	N	22 Aqu 16'43"	22 Aqu 41'49"
47	FOMALHAUT***	B	2 Pis 44'00"	3 Pis 09'21"
48	DENEb AGIDE*	N	4 Pis 13'43"	4 Pis 38'27"
49	ACHERNAR**	B	14 Pis 10'28"	14 Pis 36'04"
50	MARKAB*	N	22 Pis 22'16"	22 Pis 47'20"

## 1980

## VARIATION

7	Leo	15'34"	0.836
8	Leo	26'33"	0.838
27	Leo	00'04"	0.834
29	Leo	33'04"	0.834
11	Vir	02'08"	0.842
21	Vir	20'24"	0.833
9	Lib	39'41"	0.835
23	Lib	33'44"	0.837
23	Lib	57'16"	0.838
11	Sco	35'35"	0.829
19	Sco	05'33"	0.837
23	Sco	30'51"	0.834
29	Sco	13'40"	0.755
2	Sag	54'37"	0.838
9	Sag	28'58"	0.838
22	Sag	10'05"	0.840
12	Cap	06'20"	0.838
15	Cap	02'07"	0.840
1	Aqu	29'37"	0.847
21	Aqu	30'36"	0.841
23	Aqu	06'55"	0.837
3	Pis	34'41"	0.845
5	Pis	03'13"	0.825
15	Pis	01'37"	0.851
23	Pis	12'23"	0.835

11 37  
12 31  
116

NR	NAME	NATURE	1920
1	DIFDA	M	1 Ari 27'42"
2	ALPHERATZ*	B	13 Ari 11'40"
3	BATEN KAITOS	M	20 Ari 49'44"
4	MIRACH*	B	29 Ari 17'22"
5	SHARATAN	M	2 Tau 51'10"
6	XHAMAL*	M	6 Tau 32'37"
7	ALMACH	B	13 Tau 06'41"
8	ALGOL***	M	25 Tau 03'09"
9	ALCYONE	M	28 Tau 52'31"
10	PRIMA HYADUM	M	4 Gem 41'09"
11	ALDEBARAN***	N	8 Gem 40'15"
12	RIGEL**	B	15 Gem 42'41"
13	BELLATRIX*	N	19 Gem 49'46"
14	CAPELLA**	N	20 Gem 44'24"
15	EL NATH*	M	21 Gem 27'27"
16	ALNILAM*	N	22 Gem 20'47"
17	BETELGEUZE***	N	27 Gem 38'14"
18	MENKALINAN*	N	28 Gem 47'40"
19	DIRAH*	B	4 Can 11'01"
20	ALHENA**	B	7 Can 59'13"
21	SIRIUS***	B	12 Can 58'46"
22	CANOPUS**	N	13 Can 51'21"
23	CASTOR**	N	19 Can 07'34"
24	POLLUX***	M	22 Can 06'42"
25	PROCYON**	N	24 Can 40'55"



1950

1980

VARIATION

1 Ari 52'44"	2 Ari 18'09"	0.845
13 Ari 36'44"	14 Ari 01'47"	0.835
21 Ari 14'57"	21 Ari 40'13"	0.842
29 Ari 42'27"	0 Tau 07'33"	0.836
3 Tau 16'17"	3 Tau 41'26"	0.837
6 Tau 57'47"	7 Tau 22'57"	0.839
✓ 13 Tau 31'44"	13 Tau 56'48"	0.836
25 Tau 28'14"	25 Tau 53'19"	0.836
29 Tau 17'38"	29 Tau 42'47"	0.837
5 Gem 06'21"	5 Gem 31'32"	0.840
9 Gem 05'24"	9 Gem 30'35"	0.838
16 Gem 07'50"	16 Gem 33'01"	0.838
20 Gem 14'53"	20 Gem 40'01"	0.837
21 Gem 09'33"	21 Gem 34'42"	0.838
21 Gem 52'35"	22 Gem 17'44"	0.838
22 Gem 45'54"	23 Gem 11'04"	0.838
28 Gem 03'21"	28 Gem 28'30"	0.838
29 Gem 12'46"	29 Gem 37'53"	0.837
4 Can 36'10"	5 Can 01'20"	0.838
✗ 8 Can 24'21"	8 Can 49'30"	0.838
13 Can 23'33"	13 Can 48'21"	0.827
14 Can 16'12"	14 Can 41'05"	0.826
19 Can 32'38"	19 Can 57'43"	0.835
✗ 22 Can 31'31"	22 Can 56'22"	0.827
25 Can 05'44"	25 Can 30'34"	0.828

## TABLES B

Prominent Fixed Stars in RA and  
Declination

## TABLE C

Rising and Setting of Prominent  
Fixed Stars

## PROMINENT FIXED STARS IN RA AND DECLINATION

	1920		1950		1980	
	RA	DECL	RA	DECL	RA	DECL
ACHERNAR(49)	1h34m44.2s	-57°38'35"	1h35m51.3s	-57°29'25"	1h36m58.2s	-57°20'17"
ALGOL(8)	3 02 57.4	+40 38 54	3 04 54.4	+40 45 52	3 06 51.7	+40 52 46
ALDEBARAN(11)	4 31 19.7	+16 20 58	4 33 02.9	+16 24 37	4 34 46.3	+16 28 12
RIGEL(12)	5 10 41.5	-8 17 35	5 12 08.0	-8 15 29	5 13 34.6	-8 13 26
CAPELLA(14)	5 10 46.6	+45 55 05	5 12 59.5	+45 56 58	5 15 12.6	+45 58 45
BETELGEUZE(17)	5 50 50.4	+7 23 36	5 52 27.8	+7 23 58	5 54 05.3	+7 24 16
CANOPUS(22)	6 22 10.5	-52 39 06	6 22 50.5	-52 40 03	6 23 30.5	-52 41 04
SIRIUS(21)	6 41 37.5	-16 36 20	6 42 56.7	-16 38 47	6 44 16.0	-16 41 16
PROCYON(25)	7 35 06.9	+5 25 52	7 36 41.1	+5 21 17	7 38 15.3	+5 16 37
POLLUX(24)	7 40 25.4	+28 13 15	7 42 15.5	+28 08 55	7 44 05.6	+28 04 32
REGULUS(29)	10 04 06.8	+12 21 31	10 05 42.7	+12 12 44	10 07 18.5	+12 03 52
DENEbola(31)	11 44 58.8	+15 01 10	11 46 30.6	+14 51 06	11 48 02.4	+14 41 02
ACRUX(35)	12 22 08.5	-62 39 23	12 23 48.3	-62 49 20	12 25 28.5	-62 59 19
SPICA(33)	13 20 58.6	-10 44 39	13 22 33.3	-10 54 03	13 24 08.2	-11 03 27
AGENA(37)	13 58 09.8	-59 59 15	14 00 16.5	-60 07 58	14 02 24.0	-60 16 38
ARCTURUS(34)	14 12 00.7	+19 35 54	14 13 22.7	+19 26 31	14 14 44.9	+19 17 09
ANTARES(40)	16 24 29.9	-26 15 20	16 26 20.3	-26 19 22	16 28 10.7	-26 23 20
MEGA(43) $\mu$	18 34 13.8	+38 42 30	18 35 14.7	+38 44 10	18 36 15.6	+38 45 51
ALTAIR(44)	19 46 52.8	+8 39 22	19 48 20.6	+8 44 06	19 49 48.4	+8 48 52
FOMALHAUT(47)	22 53 14.0	-30 02 48	22 54 53.5	-29 53 16	22 56 32.8	-29 43 43

TABLE C (2)

PROMINENT FIXED STARS    RAMC ; RAIC ; RISING and SETTING  
for 01 01 1950

	RAMC	RAIC	30 N.L.	40 N.L.	50 N.L.
ARCTURUS(34)	14h13m23s 21° 21'	02h13m23s 33° 21'	rising 07h26m21s setting 21h00m25s	07h04m28s 21h22m18s	06h33m52s 21h52m53s
ANTARES(40)	16 26 20 246 35	04 26 20 66 35	rising 11 32 43 setting 21 19 57	12 04 27 20 48 14	12 50 51 20 01 50
MEGA(43)	18 35 15 278 49	06 35 15 98 49	rising 10 44 53 setting 02 25 36	09 46 01 03 24 29	07 43 29 05 27 01
ALTAIR(44)	19 48 21 297 05	07 48 21 117 05	rising 13 27 59 setting 02 08 42	13 18 43 02 17 58	13 06 08 02 30 33
FOMALHAUT(47)	22 54 54 343 43	10 54 54 163 43	rising 18 12 25 setting 03 37 22	18 50 14 02 59 33	19 47 49 02 01 58
ACHERNAR(49)	01h35m51s 23 58'	13h35m51s 203 58'	CANOPUS(22)	06h22m51s 95 43'	18h22m51s 275 43
ALGOL(8)	03 04 54 46 14	15 04 54 226 14	ACRUX(35)	12 23 48 185 57	00 23 48 005 57
CAPELLA(14)	05 13 00 78 18	17 13 00 258 15	AGENA(37)	14 00 17 210 04	02 00 17 30 04

TABLE C (1)

PROMINENT FIXED STARS    RAMC ; RAIC ; RISING and SETTING  
for 01 01 1950

	RAMC	RAIC		30 N.L.	40 N.L.	50 N.L.
ALDEBARAN(11)	04h33m03s	16h33m03s	rising	21h53m53s	21h35m49s	21h10m51s
	68° 16'	248° 16'	setting	11h12m12s	11h30m17s	11h55m14s
RIGEL(12)	05 12 08	17 12 08	rising	23 31 22	23 40 07	23 51 58
	78 02	258 02	setting	10 52 54	10 44 09	10 32 18
BETELGEUZE(17)	05 52 28	17 52 28	rising	23 35 16	23 27 26	23 16 51
	88 07	268 07	setting	12 09 40	12 17 29	12 28 05
SIRIUS(21)	06 42 57	18 42 57	rising	01 22 42	01 41 04	02 06 27
	100 44	280 44	setting	12 03 11	11 44 50	11 19 27
PROCYON(25)	07 36 41	19 36 41	rising	01 24 17	01 18 39	01 11 02
	114 10	294 10	setting	13 49 06	13 54 44	14 02 20
POLLUX(24)	07 42 16	19 42 16	rising	00 30 17	23 55 33	23 03 48
	115 34	295 34	setting	14 54 14	15 28 58	16 20 43
REGULUS(29)	10 05 43	22 05 43	rising	03 37 00	03 23 51	03 05 55
	151 26	331 26	setting	16 34 25	16 47 34	17 05 30
DENEbola(31)	11 46 31	23 46 31	rising	05 11 17	04 55 05	04 32 49
	176 38	356 38	setting	18 21 44	18 37 56	19 00 12
SPICA(33)	13 22 33	01 22 33	rising	07 48 05	07 59 45	08 15 38
	200 38	20 38	setting	18 57 01	18 45 21	18 29 29

## TABLE E

Day - Numbers  
for Prenatal Factors

**Table B for Precession \***

years	years	years	°	years	°
1 = 1'	26 = 22'	51 = 0 43'		76 = 1° 03'	
2 2	27 23	52 0 43		77 1 04	
3 3	28 23	53 0 44		78 1 05	
4 4	29 24	54 0 45		79 1 06	
5 4	30 25	55 0 46		80 1 07	
6 5	31 26	56 0 47		81 1 08	
7 6	32 27	57 0 48		82 1 08	
8 7	33 28	58 0 48		83 1 09	
9 8	34 28	59 0 49		84 1 10	
10 9	35 29	60 0 50		85 1 11	
11 9	36 30	61 0 51		86 1 12	
12 10	37 31	62 0 52		87 1 13	
13 11	38 32	63 0 53		88 1 13	
14 12	39 33	64 0 53		89 1 14	
15 13	40 33	65 0 54		90 1 15	
16 13	41 34	66 0 54		91 1 16	
17 14	42 35	67 0 56		92 1 17	
18 15	43 36	68 0 57		93 1 18	
19 16	44 37	69 0 58		94 1 18	
20 17	45 38	70 0 58		95 1 19	
21 18	46 38	71 0 59		96 1 20	
22 18	47 39	72 1° 00'		97 1 21	
23 19	48 40	73 1 01		98 1 22	
24 20	49 41	74 1 02		99 1 23	
25 21	50 42	75 1 03		100 1 24	

\*These Tables with a maximal error of 1' of arc are not suitable for Sidereal Solar Returns. The writer recommends Carl Stahl's SYNETHIC VERNAL POINT EPHEMERIS, which are giving results to 7" of arc.



<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1800	00181	00212	00243	00273	00304	00334
1801	00546	00577	00608	00638	00669	00699
1802	00911	00942	00973	01003	01034	01064
1803	01276	01307	01338	01368	01399	01429
1804	01642	01673	01704	01734	01765	01795
1805	02007	02038	02069	02099	02130	02160
1806	02372	02403	02434	02464	02495	02525
1807	02737	02768	02799	02829	02860	02890
1808	03103	03134	03165	03195	03226	03256
1809	03468	03499	03530	03560	03591	03621
1810	03833	03864	03895	03925	03956	03986
1811	04198	04229	04260	04290	04321	04351
1812	04564	04595	04626	04656	04687	04717
1813	04929	04960	04991	05021	05052	05082
1814	05294	05325	05356	05386	05417	05447
1815	05659	05690	05721	05751	05782	05812
1816	06025	06056	06087	06117	06148	06178
1817	06390	06421	06452	06482	06513	06543
1818	06755	06786	06817	06847	06878	06908
1819	07120	07151	07182	07212	07243	07273
1820	07486	07517	07548	07578	07609	07639
1821	07851	07882	07913	07943	07974	08004
1822	08216	08247	08278	08308	08339	08369
1823	08581	08612	08643	08673	08704	08734
1824	08947	08978	09009	09039	09070	09100
1825	09312	09343	09374	09404	09435	09465
1826	09677	09708	09739	09769	09800	09830
1827	10042	10073	10104	10134	10165	10195

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1800	00000	00031	00059	00090	00120	00151
1801	00365	00396	00424	00455	00485	00516
1802	00730	00761	00789	00820	00850	00881
1803	01095	01126	01154	01185	01215	01246
1804	01460	01491	01520	01551	01581	01612
1805	01826	01857	01885	01916	01946	01977
1806	02191	02222	02250	02281	02311	02342
1807	02556	02587	02615	02646	02676	02707
1808	02921	02952	02981	03012	03042	03073
1809	03287	03318	03346	03377	03407	03438
1810	03652	03683	03711	03742	03772	03803
1811	04017	04048	04076	04107	04137	04168
1812	04382	04413	04442	04473	04503	04534
1813	04748	04779	04807	04838	04868	04899
1814	05113	05144	05172	05203	05233	05264
1815	05478	05509	05537	05568	05598	05629
1816	05843	05874	05903	05934	05964	05995
1817	06209	06240	06268	06299	06329	06360
1818	06574	06605	06633	06664	06694	06725
1819	06939	06970	06998	07029	07059	07090
1820	07304	07335	07364	07395	07425	07456
1821	07670	07701	07729	07760	07790	07821
1822	08035	08066	08094	08125	08155	08186
1823	08400	08431	08459	08490	08520	08551
1824	08765	08796	08825	08856	08886	08917
1825	09131	09162	09190	09221	09251	09282
1826	09496	09527	09555	09586	09616	09647
1827	09861	09892	09920	09951	09981	10012

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1828	10408	10439	10470	10500	10531	10561
1829	10773	10804	10835	10865	10896	10926
1830	11138	11169	11200	11230	11261	11291
1831	11503	11534	11565	11595	11626	11656
1832	11869	11900	11931	11961	11992	12022
1833	12234	12265	12296	12326	12357	12387
1834	12599	12630	12661	12691	12722	12752
1835	12964	12995	13026	13056	13087	13117
1836	13330	13361	13392	13422	13453	13483
1837	13695	13726	13757	13787	13818	13848
1838	14060	14091	14122	14152	14183	14213
1839	14425	14456	14487	14517	14548	14578
1840	14791	14822	14853	14883	14914	14944
1841	15156	15187	15218	15248	15279	15309
1842	15521	15552	15583	15613	15644	15674
1843	15886	15917	15948	15978	16009	16039
1844	16252	16283	16314	16344	16375	16405
1845	16617	16648	16679	16709	16740	16770
1846	16982	17013	17044	17074	17105	17135
1847	17347	17378	17409	17439	17470	17500
1848	17713	17744	17775	17805	17836	17866
1849	18078	18109	18140	18170	18201	18231
1850	18443	18474	18505	18535	18566	18596
1851	18808	18839	18870	18900	18931	18961
1852	19174	19205	19236	19266	19297	19327
1853	19539	19570	19601	19631	19662	19692
1854	19904	19935	19966	19996	20027	20057
1855	20269	20300	20331	20361	20392	20422

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1828	10226	10257	10286	10317	10347	10378
1829	10592	10623	10651	10682	10712	10743
1830	10957	10988	11016	11047	11077	11108
1831	11322	11353	11381	11412	11442	11473
1832	11687	11718	11747	11778	11808	11839
1833	12053	12084	12112	12143	12173	12204
1834	12418	12449	12477	12508	12538	12569
1835	12783	12814	12842	12873	12903	12934
1836	13148	13179	13208	13239	13269	13300
1837	13514	13545	13573	13604	13634	13665
1838	13879	13910	13938	13969	13999	14030
1839	14244	14275	14303	14334	14364	14395
1840	14609	14640	14669	14700	14730	14761
1841	14975	15006	15034	15065	15095	15126
1842	15340	15371	15399	15430	15460	15491
1843	15705	15736	15764	15795	15825	15856
1844	16070	16101	16130	16161	16191	16222
1845	16436	16467	16495	16526	16556	16587
1846	16801	16832	16860	16891	16921	16952
1847	17166	17197	17225	17256	17286	17317
1848	17531	17562	17591	17622	17652	17683
1849	17897	17928	17956	17987	18017	18048
1850	18262	18293	18321	18352	18382	18413
1851	18627	18658	18686	18717	18747	18778
1852	18992	19023	19052	19083	19113	19144
1853	19358	19389	19417	19448	19478	19509
1854	19723	19754	19782	19813	19843	19874
1855	20088	20119	20147	20178	20208	20239

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1856	20635	20666	20697	20727	20758	20788
1857	21000	21031	21062	21092	21123	21153
1858	21365	21396	21427	21457	21488	21518
1859	21730	21761	21792	21822	21853	21883
1860	22096	22127	22158	22188	22219	22249
1861	22461	22492	22523	22553	22584	22614
1862	22826	22857	22888	22918	22949	22979
1863	23191	23222	23253	23283	23314	23344
1864	23557	23588	23619	23649	23680	23710
1865	23922	23953	23984	24014	24045	24075
1866	24287	24318	24349	24379	24410	24440
1867	24652	24683	24714	24744	24775	24805
1868	25018	25049	25080	25110	25141	25171
1869	25383	25414	25445	25475	25506	25536
1870	25748	25779	25810	25840	25871	25901
1871	26113	26144	26175	26205	26236	26266
1872	26479	26510	26541	26571	26602	26632
1873	26844	26875	26906	26936	26967	26997
1874	27209	27240	27271	27301	27332	27362
1875	27574	27605	27636	27666	27697	27727
1876	27940	27971	28002	28032	28063	28093
1877	28305	28336	28367	28397	28428	28458
1878	28670	28701	28732	28762	28793	28823
1879	29035	29066	29097	29127	29158	29188
1880	29401	29432	29463	29493	29524	29554
1881	29766	29797	29828	29858	29889	29919
1882	30131	30162	30193	30223	30254	30284
1883	30496	30527	30558	30588	30619	30649

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1856	20453	20484	20513	20544	20574	20605
1857	20819	20850	20878	20909	20939	20970
1858	21184	21215	21243	21274	21304	21335
1859	21549	21580	21608	21639	21669	21700
1860	21914	21945	21974	22005	22035	22066
1861	22280	22311	22339	22370	22400	22431
1862	22645	22676	22704	22735	22765	22796
1863	23010	23041	23069	23100	23130	23161
1864	23375	23406	23435	23466	23496	23527
1865	23741	23772	23800	23831	23861	23892
1866	24106	24137	24165	24196	24226	24257
1867	24471	24502	24530	24561	24591	24622
1868	24836	24867	24896	24927	24957	24988
1869	25202	25233	25261	25292	25322	25353
1870	25567	25598	25626	25657	25687	25718
1871	25932	25963	25991	26022	26052	26083
1872	26297	26328	26357	26388	26418	26449
1873	26663	26694	26722	26753	26783	26814
1874	27028	27059	27087	27118	27148	27179
1875	27393	27424	27452	27483	27513	27544
1876	27758	27789	27818	27849	27879	27910
1877	28124	28155	28183	28214	28244	28275
1878	28489	28520	28548	28579	28609	28640
1879	28854	28885	28913	28944	28974	29005
1880	29219	29250	29279	29310	29340	29371
1881	29585	29616	29644	29675	29705	29736
1882	29950	29981	30009	30040	30070	30101
1883	30315	30346	30374	30405	30435	30466

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1884	30862	30893	30924	30954	30985	31015
1885	31227	31258	31289	31319	31350	31380
1886	31592	31623	31654	31684	31715	31745
1887	31957	31988	32019	32049	32080	32110
1888	32323	32354	32385	32415	32446	32476
1889	32688	32719	32750	32780	32811	32841
1890	33053	33084	33115	33145	33176	33206
1891	33418	33449	33480	33510	33541	33571
1892	33784	33815	33846	33876	33907	33937
1893	34149	34180	34211	34241	34272	34302
1894	34514	34545	34576	34606	34637	34667
1895	34879	34910	34941	34971	35002	35032
1896	35245	35276	35307	35337	35368	35398
1897	35610	35641	35672	35702	35733	35763
1898	35975	36006	36037	36067	36098	36128
1899	36340	36371	36402	36432	36463	36493
1900	36705	36736	36767	36797	36828	36858
1901	37070	37101	37132	37162	37193	37223
1902	37435	37466	37497	37527	37558	37588
1903	37800	37831	37862	37892	37923	37953
1904	38166	38197	38228	38258	38289	38319
1905	38531	38562	38593	38623	38654	38684
1906	38896	38927	38958	38988	39019	39049
1907	39261	39292	39323	39353	39384	39414
1908	39627	39658	39689	39719	39750	39780
1909	39992	40023	40054	40084	40115	40145
1910	40357	40388	40419	40449	40480	40510
1911	40722	40753	40784	40814	40845	40875
1912	41088	41119	41150	41180	41211	41241

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>Maç</i>	<i>Jun</i>
1884	30680	30711	30740	30771	30801	30832
1885	31046	31077	31105	31136	31166	31197
1886	31411	31442	31470	31501	31531	31562
1887	31776	31807	31835	31866	31896	31927
1888	32141	32172	32201	32232	32262	32293
1889	32507	32538	32566	32597	32627	32658
1890	32872	32903	32931	32962	32992	33023
1891	33237	33268	33296	33327	33357	33388
1892	33602	33633	33662	33693	33723	33754
1893	33968	33999	34027	34058	34088	34119
1894	34333	34364	34392	34423	34453	34484
1895	34698	34729	34757	34788	34818	34849
1896	35063	35094	35123	35154	35184	35215
1897	35429	35460	35488	35519	35549	35580
1898	35794	35825	35853	35884	35914	35945
1899	36159	36190	36218	36249	36279	36310
1900	36524	36555	36583	36614	36644	36675
1901	36889	36920	36948	36979	37009	37040
1902	37254	37285	37313	37344	37374	37405
1903	37619	37650	37678	37709	37739	37770
1904	37984	38015	38044	38075	38105	38136
1905	38350	38381	38409	38440	38470	38501
1906	38715	38746	38774	38805	38835	38866
1907	39080	39111	39139	39170	39200	39231
1908	39445	39476	39505	39536	39566	39597
1909	39811	39842	39870	39901	39931	39962
1910	40176	40207	40235	40266	40296	40327
1911	40541	40572	40600	40631	40661	40692
1912	40906	40937	40966	40997	41027	41058



<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1913	41453	41484	41515	41545	41576	41606
1914	41818	41849	41880	41910	41941	41971
1915	42183	42214	42245	42275	42306	42336
1916	42549	42580	42611	42641	42672	42702
1917	42914	42945	42976	43006	43037	43067
1918	43279	43310	43341	43371	43402	43432
1919	43644	43675	43706	43736	43767	43797
1920	44010	44041	44072	44102	44133	44163
1921	44375	44406	44437	44467	44498	44528
1922	44740	44771	44802	44832	44863	44893
1923	45105	45136	45167	45197	45228	45258
1924	45471	45502	45533	45563	45594	45624
1925	45836	45867	45898	45928	45959	45989
1926	46201	46232	46263	46293	46324	46354
1927	46566	46597	46628	46658	46689	46719
1928	46932	46963	46994	47024	47055	47085
1929	47297	47328	47359	47389	47420	47450
1930	47662	47693	47724	47754	47785	47815
1931	48027	48058	48089	48119	48150	48180
1932	48393	48424	48455	48485	48516	48546
1933	48758	48789	48820	48850	48881	48911
1934	49123	49154	49185	49215	49246	49276
1935	49488	49519	49550	49580	49611	49641
1936	49854	49885	49916	49946	49977	50007
1937	50219	50250	50281	50311	50342	50372
1938	50584	50615	50646	50676	50707	50737
1939	50949	50980	51011	51041	51072	51102
1940	51315	51346	51377	51407	51438	51468
1941	51680	51711	51742	51772	51803	51833
1942	52045	52076	52107	52137	52168	52198

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1913	41272	41303	41331	41362	41392	41423
1914	41637	41668	41696	41727	41757	41788
1915	42002	42033	42061	42092	42122	42153
1916	42367	42398	42427	42458	42488	42519
1917	42733	42764	42792	42823	42853	42884
1918	43098	43129	43157	43188	43218	43249
1919	43463	43494	43522	43553	43583	43614
1920	43828	43859	43888	43919	43949	43980
1921	44194	44225	44253	44284	44314	44345
1922	44559	44590	44618	44649	44679	44710
1923	44924	44955	44983	45014	45044	45075
1924	45289	45320	45349	45380	45410	45441
1925	45655	45686	45714	45745	45775	45806
1926	46020	46051	46079	46110	46140	46171
1927	46385	46416	46444	46475	46505	46536
1928	46750	46781	46810	46841	46871	46902
1929	47116	47147	47175	47206	47236	47267
1930	47481	47512	47540	47571	47601	47632
1931	47846	47877	47905	47936	47966	47997
1932	48211	48242	48271	48302	48332	48363
1933	48577	48608	48636	48667	48697	48728
1934	48942	48973	49001	49032	49062	49093
1935	49307	49338	49366	49397	49427	49458
1936	49672	49703	49732	49763	49793	49824
1937	50038	50069	50097	50128	50158	50189
1938	50403	50434	50462	50493	50523	50554
1939	50768	50799	50827	50858	50888	50919
1940	51133	51164	51193	51224	51254	51285
1941	51499	51530	51558	51589	51619	51650
1942	51864	51895	51923	51954	51984	52015

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1943	52410	52441	52472	52502	52533	52563
1944	52776	52807	52838	52868	52899	52929
1945	53141	53172	53203	53233	53264	53294
1946	53506	53537	53568	53598	53629	53659
1947	53871	53902	53933	53963	53994	54024
1948	54237	54268	54299	54329	54360	54390
1949	54602	54633	54664	54694	54725	54755
1950	54967	54998	55029	55059	55090	55120
1951	55332	55363	55394	55424	55455	55485
1952	55698	55729	55760	55790	55821	55851
1953	56063	56094	56125	56155	56186	56216
1954	56428	56459	56490	56520	56551	56581
1955	56793	56824	56855	56885	56916	56946
1956	57159	57190	57221	57251	57282	57312
1957	57524	57555	57586	57616	57647	57677
1958	57889	57920	57951	57981	58012	58042
1959	58254	58285	58316	58346	58377	58407
1960	58620	58651	58682	58712	58743	58773
1961	58985	59016	59047	59077	59108	59138
1962	59350	59381	59412	59442	59473	59503
1963	59715	59746	59777	59807	59838	59868
1964	60081	60112	60143	60173	60204	60234
1965	60446	60477	60508	60538	60569	60599
1966	60811	60842	60873	60903	60934	60964
1967	61176	61207	61238	61268	61299	61329
1968	61542	61573	61604	61634	61665	61695
1969	61907	61938	61969	61999	62030	62060
1970	62272	62303	62334	62364	62395	62425

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1943	52229	52260	52288	52319	52349	52380
1944	52594	52625	52654	52685	52715	52746
1945	52960	52991	53019	53050	53080	53111
1946	53325	53356	53384	53415	53445	53476
1947	53690	53721	53749	53780	53810	53841
1948	54055	54086	54115	54146	54176	54207
1949	54421	54452	54480	54511	54541	54572
1950	54786	54817	54845	54876	54906	54937
1951	55151	55182	55210	55241	55271	55302
1952	55516	55547	55576	55607	55637	55668
1953	55882	55913	55941	55972	56002	56033
1954	56247	56278	56306	56337	56367	56398
1955	56612	56643	56671	56702	56732	56763
1956	56977	57008	57037	57068	57098	57129
1957	57343	57374	57402	57433	57463	57494
1958	57708	57739	57767	57798	57828	57859
1959	58073	58104	58132	58163	58193	58224
1960	58438	58469	58498	58529	58559	58590
1961	58804	58835	58863	58894	58924	58955
1962	59169	59200	59228	59259	59289	59320
1963	59534	59565	59593	59624	59654	59685
1964	59899	59930	59959	59990	60020	60051
1965	60265	60296	60324	60355	60385	60416
1966	60630	60661	60689	60720	60750	60781
1967	60995	61026	61054	61085	61115	61146
1968	61360	61391	61420	61451	61481	61512
1969	61726	61757	61785	61816	61846	61877
1970	62091	62122	62150	62181	62211	62242

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1971	62637	62668	62699	62729	62760	62790
1972	63003	63034	63065	63095	63126	63156
1973	63368	63399	63430	63460	63491	63521
1974	63733	63764	63795	63825	63856	63886
1975	64098	64129	64160	64190	64221	64251
1976	64464	64495	64526	64556	64587	64617
1977	64829	64860	64891	64921	64952	64982
1978	65194	65225	65256	65286	65317	65347
1979	65559	65590	65621	65651	65682	65712
1980	65925	65956	65987	66017	66048	66078
1981	66290	66321	66352	66382	66413	66443
1982	66655	66686	66717	66747	66778	66808
1983	67020	67051	67082	67112	67143	67173
1984	67386	67417	67448	67478	67509	67539
1985	67751	67782	67813	67843	67874	67904
1986	68116	68147	68178	68208	68239	68269
1987	68481	68512	68543	68573	68604	68634
1988	68847	68878	68909	68939	68970	69000
1989	69212	69243	69274	69304	69335	69365
1990	69577	69608	69639	69669	69700	69730
1991	69942	69973	70004	70034	70065	70095
1992	70308	70339	70370	70400	70431	70461
1993	70673	70704	70735	70765	70796	70826
1994	71038	71069	71100	71130	71161	71191
1995	71403	71434	71465	71495	71526	71556
1996	71769	71800	71831	71861	71892	71922
1997	72134	72165	72196	72226	72257	72287
1998	72499	72530	72561	72591	72622	72652
1999	72864	72895	72926	72956	72987	73017

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1971	62456	62487	62515	62546	62576	62607
1972	62821	62852	62881	62912	62942	62973
1973	63187	63218	63246	63277	63307	63338
1974	63552	63583	63611	63642	63672	63703
1975	63917	63948	63976	64007	64037	64068
1976	64282	64313	64342	64373	64403	64434
1977	64648	64679	64707	64738	64768	64799
1978	65013	65044	65072	65103	65133	65164
1979	65378	65409	65437	65468	65498	65529
1980	65743	65774	65803	65834	65864	65895
1981	66109	66140	66168	66199	66229	66260
1982	66474	66505	66533	66564	66594	66625
1983	66839	66870	66898	66929	66959	66990
1984	67204	67235	67264	67295	67325	67356
1985	67570	67601	67629	67660	67690	67721
1986	67935	67966	67994	68025	68055	68086
1987	68300	68331	68359	68390	68420	68451
1988	68665	68696	68725	68756	68786	68817
1989	69031	69062	69090	69121	69151	69182
1990	69396	69427	69455	69486	69516	69547
1991	69761	69792	69820	69851	69881	69912
1992	70126	70157	70186	70217	70247	70278
1993	70492	70523	70551	70582	70612	70643
1994	70857	70888	70916	70947	70977	71008
1995	71222	71253	71281	71312	71342	71373
1996	71587	71618	71647	71678	71708	71739
1997	71953	71984	72012	72043	72073	72104
1998	72318	72349	72377	72408	72438	72469
1999	72683	72714	72742	72773	72803	72834

# INDEX

- Ascendent-Lunar 31, 35, 43
- Ascendant-Demi-Lunar 37
- Ascensional Transits 95
- Atkins, Susan 20, 22
- Berlin, West 84
- Carter, Jimmy 26
- Charles, Prince 76
- Combin, Compositum 30
- Conception-Horoscope 41
- Coolidge, Calvin 82
- Day-Number Tables 119
- Dual-Test 36, 51, 98
- Ebertin, Elsbeth 70
- Edison, Thomas A. 95
- Edward VII 74
- Edward VIII 67, 75, 82
- Einstein, Albert 79
- Elizabeth II 67, 76
- Fagan, Cyril 13
- Fictions in Astrology 92
- Fixed Stars 69, 109, 113, 115
- Gandhi, Mahatma 81
- Gaulle, General De 81
- George V 67, 74
- George VI 75
- Hitler, Adolf 3, 88
- Houten van, Leslie 20, 22, 24
- Kennedy, Edward 31, 35, 52, 67, 99
- Kennedy, John F. 48, 67, 77
- Krafft, Karl-Ernst 70
- Kreuger, Ivar 70
- Lennon, John 67, 73, 103

## GLOSSARY

**Ascendant-Lunar Horoscope:** A horoscope calculated for the moment when the Moon transits the ASC of the Radix. (See under 'Conception Lunar')

**Conception-Lunar Horoscope:** A horoscope calculated for the moment when the Moon transits the Moon of the Conception Horoscope. (Prenatal Epoch)

**Conception-Demi-Lunar Horoscope:** A horoscope calculated for the moment when the Moon of the Conception Horoscope is transiting its opposite Ecliptic point. (Prenatal Epoch)

**Descendant-Lunar-Horoscope:** A horoscope calculated for the moment when the Moon transits the Descendant of the Radix. (See under 'Conception Lunar')

**Demi-Asc( Desc)-Lunar:** A horoscope calculated for the moment when the Moon transits either the opposite Ecliptic point of the ASC = DESC (a) or DESC = ASC (b). This depends on whether the ASC or the DESC of the Radix corresponds to the Moon of the Prenatal Epoch (Conception Horoscope).

**MDO:** The Meridian Distance of a body divided by its Semi Arc and multiplied by 90 degrees. (See *Prediction II*, page 33, Genealogical Connections... and page 41, Ascensional Transits....)

**Netal Quotidian-Lunar:** A Lunar Return Chart based on the position of the Moon in the Secondary Progressed or Regressed Birth Map (See 'Prediction Using Common and Prenatal Cycles', page 47)

**New-Partner-Horoscope:** A composite horoscope of two people in which the time elapsed from the birth of the elder to the birth of the younger is deducted from the birth of the elder, and the chart is computed for the prenatal date and time thus found.

**Partner-Horoscope:** See under New-Partner-Horoscope

**Prenatal-Transit System:** Transits before birth which result from the deduction from the Radix of the time (in days, hours, minutes and seconds) past between the Radix and the Transit. (See 'Prediction Using Common and Prenatal Cycles')

**Prenatal Cycles:** All kinds of Cycles which are based on the same astronomical principles as the Prenatal Transits (See, Prenatal-Transit-System)

**Primary Directions:** Directions based on the axial rotation of the Earth as distinct from Progressions in the Zodiac due to the orbital motion of the planets.

**Sideral-Solar( or Lunar) Return:** A Return Chart erected in the Tropical Zodiac but with the position of the Sun( or Moon) moved forward in the Zodiac by the amount of Precession since the date of the Radix.

**Topocentric House Division:** The discovery of V. Polich and Nelson Page. The Poles of the House Cusps are slightly different from those derived by the Placidian method.

**Topocentric Primary Directions:** The special method of Primary Directing developed by Vendei Polich and A.P. Nelson Page in Argentina during the 1960's. Features distinguishing the Topocentric from other systems of Primary Directing are the different formulas for calculating the Pole of the so-called Significator and its Ascensional Difference under that Pole. The time measure is the Mean Solar Arc in Right Ascension (the 'Naibod Arc') =  $0^{\circ}59' 8.33''$  per year.



**The writers main publications**  
**Findings and developments in astrology**

PUBLICATIONS IN SPICA, A Review of Sidereal Astrology, London  
Editor: *Brigadier R.C. Firebrace* 1961-74

A new Method for progressing and regressing  
the Sidereal Solar Return  
January 1962

Rectification with Secondary Directions and Natal Quotidians  
April 1962

CYCLIC CHARTS : THE 7-YEARS LUNAR ; The NO-LUNAR ;  
THE KYNETIC SSR  
July 1962 - January 1963

RECTIFICATION WITH THE SOLAR ARC IN RIGHT-ASCENSION  
April 1963

A simple Method for accurate Moon and S.L.R. Computations  
October 1963

The Effectiveness of Transits and Cyclic Charts  
October 1965 - January 1967

Analysis and Interpretation of Stellar Effectiveness ←  
April 1967 - January 1968

ASTROLOGICAL TECHNIQUES April 1967 - April 1969

Interpretation of combined Planetary Symbolism in Sidereal  
Charts. January - October 1970

Introduction to Mundane Astrology [ January - July 1971 ←

BASIC RESEARCH IN ASTROLOGY October 1971 - January 1973

The Computation of Primary Directions [ April, July, 1973 ←

Origin and Significance of Primary Directions [ October 1973 ←

## I N D E X (continued)

- Manson, Charles 17, 22, 24
- Marr, Alexander 13, 82, 107
- MDO's 94
- Midpoints 92
- Mundane Astrology 84
- Mussolini, Benito 80
- New Partner-Horoscope 9
- Nixon, Richard 78
- Parent, Steven 20
- Page, A.P. Nelson 13, 30
- Peron, Evita 6, 29
- Peron, Juan Domingo 6, 29, 54, 101
- Polich, Vendel 13, 30
- Prenatal Conception-Lunars 44
- Prenatal Epoch (See Conception-Horoscope)
- Primary Directions 39, 51, 95
- Radix Comparisons 5
- Reagan, Ronald 26, 67, 79
- Rectification 39, 52, 93
- Relationship Chart 30
- Roosevelt, Franklin 82
- Roosevelt, Theodore 81
- Solar Arc 92
- Synastry 1
- Topocentric Primary Directions 39, 51, 95
- Uranian System 92
- Victoria, Queen 67, 73
- William, Prince 77, 82, 106

Publications in *SPICA continued*

**CYCLIC CHARTS of TRANSIT - and DIRECTIONAL SYSTEMS**

January - October 1974

✓ **Directions, Transits, Cycles (Booklet)**  
Cosmobiographic Society Wuppertal, F.R.G. 1976

✓ **Mundane Astrology (Booklet)**  
Cosmobiographic Society Wuppertal, F.R.G. 1977 ←

**The ASCENDANT-LUNAR ; The PRENATAL EPOCH**  
MERIDIAN, F.R.G. Volume 1; 3,4,5 1979

Publications in ASTROLOGIA, Buenos Aires; Editor: *Eloy R. Duman*  
1977 - 1985

**Rectification ; Prenatal Transits and Cycles;**  
**THE NEW PARTNER-HOROSCOPE; THE DUAL-TEST; Identical Twins**

Publications in 'CONSIDERATIONS', U.S.A. 1984 - 1985

Editors: *Kennet Gillman and Axel Harvey*

**Advanced Rectification of Birth Charts and Prenatal Epochs**

**Textbooks**

**PREDICTION using Common and Prenatal Cycles**  
American Federation of Astrologers 1981

**PREDICTION II Directions and the Art of Rectification**  
American Federation of Astrologers (revised Edition 1985)

**PREDICTION III**  
**Synastry; ASC-Lunar; Prenatal Epoch; Dual-Test; Fixed Stars**  
As in this book

**EL SISTEMA UNIVERSAL DE TRANSITOS, Analisis y Predicción**  
Ediciones Sirio, Buenos Aires 1984

**Tables**

**CAMPANUS Tables of Houses 46° - 49° N. LAT. Dublin 1959**  
35° - 46° " " Carl Stahl; U.S.A. 1960  
**RIGHT-ASCENSION TABLES** Centro Astrologico de Buenos Aires 1970